Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

Editor-in-Chief: **STEPHEN G. DAVIES**, *University of Oxford, Oxford, UK*
Chairman of the Executive Board of Editors for Tetrahedron Publications: Sir Derek Barton, *Texas A&M University, USA*

SUBJECT INDEX AND AUTHOR INDEX
Volume 3 (1992)

Pergamon Press Oxford New York Seoul Tokyo

TETRAHEDRON: *Asymmetry*

Editor-in-Chief: **Dr S. G. DAVIES,** Dyson Perrins Laboratory
South Parks Road, Oxford OX1 3QY, UK
Fax: (44) 865 275633

Japanese Regional Editor: **Professor T. Hayashi,** Catalysis Research Center, Hokkaido University, Sapporo 060, Japan
Fax: (81) 11 757 8127

EXECUTIVE BOARD OF EDITORS FOR TETRAHEDRON PUBLICATIONS

Chairman: **Professor Sir Derek Barton, FRS,** Department of Chemistry, Texas A & M University, College Station, Texas 77843-3255, USA

Professor J. E. Baldwin, FRS, Dyson Perrins Laboratory, Oxford, OX1 3QY, UK

Professor D. L. Boger, Department of Chemistry, The Scripps Research Institute, La Jolla, CA 92037, USA

Professor L. Ghosez, Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, B-1348 Louvain-la-Neuve, Belgium

Professor S. Ito, Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yamashiro-cho, Tokushima 770, Japan
(Associate Editor, Professor Y. Shizuri)

Professor A. R. Katritzky, FRS, Department of Chemistry, University of Florida, Gainesville, FL 32611, USA

Professor N. K. Kochetkov, N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences, Moscow B-334, Russia

Professor Lin Guo-Qiang, Shanghai Institute of Organic Chemistry, Academia Sinica, Shanghai 200032, China

Professor S. F. Martin, Department of Chemistry and Biochemistry, University of Texas, Austin, TX 78712, USA

Professor A. McKillop, University of East Anglia, School of Chemical Sciences, University Plain, Norwich, NR4 7TJ, UK

Professor A. Nickon, Department of Chemistry, The Johns Hopkins University, Baltimore, MD 21218, USA

Professor W. D. Ollis, FRS, Department of Chemistry, University of Sheffield, Sheffield S3 7HF, UK

Professor G. Ourisson, Centre National de la Recherche Scientifique, Centre de Neurochimie, 67084 Strasbourg, Cedex, France
(Associate Editor, Professor G. Solladié)

Professor T. Shioiri, Faculty of Pharmaceutical Sciences, Nagoya City University, Tanabe-dori, Mizuho-ku, Nagoya 467, Japan

Professor W. Steglich, Institut für Organische Chemie der Universität München, Karlstr. 23, D-8000 München 2, Germany

Professor H. H. Wasserman, Department of Chemistry, Yale University, PO Box 6666, New Haven, CT 06511, USA

BOARD OF CONSULTING EDITORS

F. Arcamone, Florence
D. Arigoni, Zurich
A. R. Battersby, Cambridge
A. L. J. Beckwith, Canberra
R. Breslow, New York, NY
H. C. Brown, Lafayette, IN
J. M. Brown, Oxford
H. Brunner, Regensburg
A. Collet, Lyon
E. J. Corey, Cambridge, MA
P. Deslongchamps, Sherbrooke
M. J. S. Dewar, Gainesville, FL
C. Djerassi, Stanford, CA
W. von E. Doering, Cambridge, MA
J. Elguero, Madrid
D. Enders, Aachen
A. Eschenmoser, Zurich
C. Gennari, Milan
L. M. Harwood, Oxford
G. Helmchen, Heidelberg
Y. Hirata, Nagoya
R. Huisgen, Munich
W. S. Johnson, Stanford, CA
J. B. Jones, Toronto
H. B. Kagan, Orsay
V. A. Koptyug, Novosibirsk
R. U. Lemieux, Edmonton
X. T. Liang, Beijing
J. Michalski, Lodz
K. Mori, Tokyo
T. Mukaiyama, Tokyo
K. Nakanishi, New York, NY
T. Norin, Stockholm
R. Noyori, Nagoya
S. Nozoe, Sendai
W. Oppolzer, Geneva
P. Potier, Gif-sur-Yvette
S. K. Pradhan, Bombay
V. Prelog, Zurich
G. Quinkert, Frankfurt
C. W. Rees, London
A. L Scott, College Station, TX
K. B. Sharpless, La Jolla, CA
G. Solladié, Strasbourg
H. A. Staab, Heidelberg
G. Stork, New York, NY
Sukh Dev, New Delhi
W. Tochtermann, Kiel
H. G. Viehe, Louvain-la-Neuve
E. Vogel, Cologne
P. von Ragué Schleyer, Erlangen
Y. Wang, Shanghai
G. H. Whitham, Oxford
K. B. Wiberg, New Haven, CT
S. B. Wild, Canberra
E. Winterfeldt, Hannover
H. Yamamoto, Nagoya
N. S. Zefirov, Moscow

PUBLISHED MONTHLY

Tetrahedron: Asymmetry is included in subscriptions to *Tetrahedron* but can also be ordered separately

Publishing, Subscription and Advertising Office:
Pergamon Press Ltd, Headington Hill Hall, Oxford, OX3 0BW, UK (Tel: (0865) 794141; Fax: (0865) 60285)

Subscription Rates
Annual Institutional Subscription Rate (1993): £355.00 (US$675.00). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan are available on request. Subscription enquiries from customers in North America should be sent to: Pergamon Press Inc., 660 White Plains Road, Tarrytown, New York 10591-5153, USA, and for the remainder of the world to: Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, UK.
Second Class Postage paid at Rahway, NJ and additional mailing offices, Postmaster send address corrections to Pergamon Press Inc., 660 White Plains Road, Tarrytown, New York 10591-5153, USA.

Copyright © 1993 Pergamon Press Ltd

Subject Index 1992

A
Acceptors, dienophiles, chiral Michael (+)-(S)-diethoxyphosphorylvinyl p-tolyl sulfoxide 1515
Acetonide form, (-)-cis-1, 2-dihydroxyindolizidine, asymmetric synthesis 999
Acetylcholine, methobromide-constrained analog, enantioselective synthesis dimethylaminomethyl-4, 5-dihydro-2(3H)-furanone 1537
Acylation, butyl mandelate, lipase-mediated, role solvent, agent, improved multivariate approach 903
Acyliminium ion, diastereoselective, nucleophilic addition and retro Diels-Alder reaction, synthesis (+)-elaeokanines A and C 535
Addition
asymmetric Michael using chiral imines, Report 459
cyclopentadiene to methyl (E)-, (Z)-(S)-4, 5-di-O-isopropylidenepent-2-enoates, rate, stereoselectivity 621
diethyl-Zn
to aldehydes catalysed diastereoisomeric pure 2-(1-hydroxyalkyl)-pyridines 1235
to benzaldehyde, stereocontrol new chiral catalysts 1467
to chalcone, catalysed chiral tricarbonyl-(arene)Cr/Ni 713
to enones, catalysed homogeneous, supported chiral Ni-complexes, effect support on enantioselectivity 845
using Ni-DAIB complexes, catalytic enantioselectivity 581
Grignard reagents to cinnamides from N-alkyl (R)-(-)-2-amino-butan-1-ol 587
N-acyliminium ion and retro Diels-Alder reaction, synthesis (+)-elaeokanines A and C 535
nucleophilic, vinylketenimine complexes, asymmetric synthesis C-quaternary centers 143
organo-Çu reagents to cyclic sulfines or carbonates of γ,δ-dihydroxy (E)-α, β-enoates 705
protected D-,L-erythrulose derivs, synthesis tert-alcohol enantiomers 1511
Adenyl-hydroxy-hydroxymethyl cyclobutane, enantiomers 193
Adrenergic blockers
conversion building blocks 205
enzymatic prep, screening method for ester-hydroxylase 201
Agonists, opioid κ, σ, enantioselective synthesis key intermediate vic-cyclohexane-diamines 329
Alcohols
carboxylic acids, kinetic resolution with homochiral carboxylic acids alcohols, Mukaiyama or Palomo reagents 1455
chiral, protection with chloromethyl-(1R)-menthyl ether 833
enantiomeric purity assays using ephedrineboran 261
PMR, dicarbo-alkoxy-chlorodioxa chlorophospholane chiral derivatizing agent 1243
tertiary, enantiomers via nucleophilic additions to protected D-, L-erythrulose derivs 1511
Aldehydes
addition diethyl-Zn catalysed diastereoisomeric pure 2-1-hydroxyalkyl-pyridines 1235
chiral, aldol reaction with 4-trimethylsiloxy-6-methylene-1,3-dioxines 1157
cyanomethylation, using DPMPM chiral catalyst, synthesis β-hydroxy-nitriles 677
cycloadditions to azomethine ylids, enantiocontrolled construction β-hydroxy-α-amino derivs 1127
L-histidine substit, derived Ru-chiral Schiff base complexes 307
Aldol reactions
4-trimethylsiloxy-6-methylene-1, 3-dioxines with chiral aldehydes 1157
N-Boc-(S)-prolinal and chiral acetate enolate equivs from iron acetyl complex, synthesis (1R,8S)-and(1S,8S) 1-hydroxypyrrolizidine-3-ones 123
route to β-hydroxyesters using imidazolidin-2-one auxiliary, high stereoselectivity 515
Aldonic acids, relation between abs config and PMR

shifts, propylenediamine-tetraacetatoeuropium in aqueous soln 1357
Alkanols, enantiomerically pure via 1-t-butyl-thio-2-alkanol lipase resolution 1149
Alkenes
asymmetric dihydroxylation, Report 1317
geometry and axial stereogenicity, Fischer projection 735
Alkoxyboranes, role in catalytic enantioselective reduction carbonyl compds by CBS method 921
Alkyl-dihydroxypropionates, asymmetric synthesis from glycerol 697
Alkylation
chiral phosphonoglycine equivs, prep diethyl α-amino-α-alkylphosphonates chelating effects 1131
lithium dianion of chiral cyclic β-enamino ketones, stereoselective C-C bond formation 719
neutral, chiral allylic cyclic carbonates catalysed Pd complex 1139
Alkynes, coupling to cis-diol metabolite Pseudomonas putida oxidation bromobenzene, synthesis homochiral 3-alkynyl cis-cyclo-hexa-3,5-diene-1,2-diols 217
Alkynyl cis-cyclohexa-dienediols synthesis 217
Allenedicarboxylates, chiral, via deracemization 603
Allenes, enantioseparation by GC 661
Allenic alcohols, synthesis from propargylic cyclic carbonates, sulfites 1509
Alloaristoteline, biotransformation synthetic (+)-aristoteline 1197
Allyl D-glucopyranoside, catalytic osmylation 21
Allylglycerol, ester derivs, enzymatic hydrolysis 137
Allylic carbonates, chiral cyclic, neutral alkylation catalysed by Pd complex 1139
Allylic substitution, Pd catalysed, selectivity, Report 1089
Ambrinols, enantiodifferentiation odour perception 221
Amidos, enantioselective hydrolysis using immobilized whole cell system 1543
Amidobenzyl-benzotriazoles, ethylation catalysed by chiral aminoalcohols 437
Amidocuprates, enantioselective conjugate addition 2-cycloheptenone 231
Aminals, cysteine, thiazolidine ring formation, stereochemistry 1401
Amines
Ru catalysed hydrogenation oximes, BINAP chiral ligand 1283
sec, optically active, enantioselective synthesis via asymmetric reduction 1583
Amino acids
α-methyl deriv, enantio-selective synthesis via phase transfer catalysis 591
asymmetric synthesis via hydrogenation, dide-hydroamino acid residue in cyclic imino-ester derivs 567
β-,α-substit, enantio-selective synthesis 723
β-hydroxy-α-, stereo-selective synthesis from chiral cyanohydrins 769
L-α amino dicarboxylic acids, enzymatic synthesis side-chain benzyl esters 1015
fluorine containing phenyl-alanines, asymmetric synthesis 555
Amino alcohols
acyclic, anchoring substitution, chiral ligamds in modifications of LAH and borane 599
catalysed, N-amido-benzyl-benzotriazoles ethylation 437
chiral, from (S)-2-indoline carboxylic acid 347
optically active via asymmetric reduction aminoketones 341
synthesis from (S)-porretine 223
via enzymatic synthesis hydroxybutyramides 1519
Amino ketones, asymmetric hydrogenation use of biphenylbisphosphine 13
Amino phosphonic acids, via stereoselective opening homochiral acetals with triethyl phosphite 377
Amino-α-alkylphosphonates, diethyl, alkylation chiral phosphonoglycine equivs, chelating effects 1131
Aminocyclitols, enantiospecific synthesis from toluene 1135
Aminocyclopentane, carboxylic acids by enzymatic asymmetrization 199
Anatoxin-a, synthesis 1263
Antagonists, thromboxane A_2, S-1452, synthesis 1205
Anti-inflammatory agents, non-steroidal, synthesis α-arylpropanoic acids, Report 163
Antidepressants, route to enantiomerically pure tomoxetine, nisoxetine and fluoxetine 525
Arene cis-dihydrodiols, Diels Alder, chiral induction, metallation, cyclohexadiene oxidation, 1,4-additions, cyclo-additions, reductions, Report 795
Arene trans dihydrodiols, optical resolution, synthetic targets, Report 795
Arene-tricarbonylchromium, planar chirality, enzymatic generation 375
Aristolasene, total synthesis 1411
Aristotelia alkaloids, total syntheses (+)-aristolasene, (+)-sorelline 1411
Aristoteline, synthetic, biotransformation into (-)-alloaristoteline 1197
Arylmethylisobornyl esters, conformation 367
Arylperhydronaphthalenol, optically active, based chiral auxiliary, reactions 1533
Arylpropanoic acid, optically active, non-steroidal anti-inflammatory agents, synthesis, Report 163
Aspergillus niger, dihydroxylation citronellol enantiomers, synthesis chiral building blocks 1373
Assays, enantiomeric purity sec alcohols using ephedrineborane 261
Asymmetrization, enzymatic, synthesis (+)- and (-)-cis-3-]aminocyclo-pentane carboxylic acids 199
Asymmetry
1, 2- and 1, 4-addition α-position cyclic acetals 1075
additions, chiral derivs 1,3-cyclopentanediamine 5
C-C bond formation, using sulfoxide-stabilised carbanions, Report 961
catalytic cross coupling, chiral phosphine ligand with η^6-(arene)Cr 213
cycloadditions, aldehydes to azomethine ylids, enantiocontrolled construction β-α-amino derivs 1127
diethyl α-amino-α-alkyl-phosphonates by alkylation chiral phosphonoglycine equivs, chelating effects 1131
dihydroxylation alkenes, Report 1317
enzymatic hydrolysis

prochiral 2-O-allylglycerol ester derivs 137
enzymatic synthesis, deuterated analogs 2-phosphoglycerate, NMR structure 673
hydroformylation deltacyclene 1011
hydrogenation, α-aminoketone and itaconic acid, use of biphenylbisphosphine 13
hydrosilylation prochiral ketones catalysed by Rh-complexes and (-)-sparteine 1055
induction:
reactions with stabilised carbanions, Report 961
synthesis (2R,5R)-2,5-hexanediol and (3S,6R)-4-decen[3,6-]diol 333
Michael addition:
chiral enaminoesters phenyl vinyl sulfone and 1,1- bis(phenylsulfonyl)-ethylene 1003
using using chiral imines Report 459
synthesis 2,2-dialkyltetrahydropyran-3-ones 863
photodeconjugation, diacetone D-glucose building block 759
reducing properties potassium 9-O-1,2-isopropylidene-5-deoxy-α-D-xylofuranosyl)-9-boratabicyclo[3.3.1]nonane 73
reduction:
3-hydroxybutenolide derivs by baker's yeast 1385
achiral ketones using oxazaborolidine derived from ephedrine 1539
aminoketones, enantioselective synthesis optically active β-amino-alcohols 341
benzophenones, prep optically pure ortho-substit benzhydrols 841
imines with dialkoxyboranes 227
ketimines, enantioselective synthesis optically active sec amines 1583
yeast-induced, keto group activated by cyclopropane unit 1165
synthesis:
1-hydroxypyrrolizidene 3-ones via aldol reaction N-Boc-(S)-prolinal and chiral acetate enolate equivs from iron acetyl complex 123
acetonide form (-)-cis-1,2 dihydroxyindolizidine 999
α-arylpropanoic acids non-steroidal anti-inflammatory agents, Report 163
(S)-1-(2,3-diaminophenoxy)-3',N-t-butylaminopropanol-2'-o l, CD and chiral HPLC analysis C-quaternary centers, nucleophilic addition vinylketenimine complexes 143
chiral oxazaborolidines Report 1475
2-alkyl-2,3-dihydroxypropionate from glycerol 697
β,γ-diketo-p-tolylsulfoxides 33
fluoro- and gem-chlorofluorocyclohexane derivs 9
lignans dibenzylbutyrolactones, dibenzylbutanediols, aryltetralins,dibenzocyclooctadienes 239
Atropisomerism
chiral phosphinamine, synthesis and racemisation 17
(R)-MOC-BIMOP, asymmetric hydrogenation α-aminoketone and itaconic acid 13
Axial stereogenicity, alkene geometry, Fischer projection 735
Azetidinone, (R)- and (S)-3-benzyl-3-methyl-, synthesis enantiomerically pure form 1141
γ-Azetidinyl-β-hydroxy-α-amino acid, intermediate mugineic acid 1069
Azomethine ylids, cycloadditions to aldehydes, enantiocontrolled construction β-hydroxy-α-amino derivs 1127

B
R-Baclofen, homochiral, synthesis from S-glutamic acid 1213
Baeyer-Villiger, microbiological oxidations, menthone and dihydrocarvone 379
Beauveria sulfurescens, reduction of ethylenic ketones 595
Benzaldehyde
optically active chromium complexed, synthesis taxol C-13 side chain analog 1007
stereocontrolled addition to diethyl-Zn new chiral catalysts 1467
Benzenoid cis-dihydrodiols, reactions, Report 795
Benz[f]indanylglycine, χ1, χ2-constrained side-chain derivs L-phenylalanine, L-2-naphthylalanine, asymmetric synthesis diastereoisomers 1351
Benzhydrols, optically pure ortho-substit, via asymmetric reductions benzophenones 841
Benzophenones, asymmetric reductions prep optically pure ortho-substit benzhydrols 841
Benzoyl-(2S)-t-butyl-3-methyl-perhydro-pyrimidin-4-one, prep and config, enantioselective synthesis α substit β-amino acids 723
Benzoyl-3-phenylisoserine methyl ester, stereocontrolled asymmetric synthesis 1007
Benzoylformic acid, ethyl ester, stereoselective reduction with chiral organometallic NADH mimics 871
Benzyl esters, side-chain of L-α-amino dicarboxylic acids, enzymatic synthesis 1015
Benzylidenemethyl-hydroxy lactone system, using chiral epoxyacetylene building block 853
Benzyloxycarbonyl-oxy-difluorotetradecanoic acid, synthesis 451
Bicyclic amino acid, synthesis and configuration 51
Bicyclic arene cis-dihydrodiols reactions, Report 795
Bicyclo[3.2.0]2-hepten-6-one and bicyclo[4.2.0]2-octen-7-one resolution 517
Bicycloheptane-2,3-dicarboxylic acid 2-methyl esters, homochiral (+)-(1R, 2S, 3S, 4S)- and (-)-(1S, 2S, 3R, 4R)-, enantioselective prep 1205
Bimetallic, chiral catalysts construction via 6-endo-hydroxy norphos 849
Binaphthalenes
2,2'-diol, protected arylglyoxals, diastereoselective reduction and addition to nucleophiles 365
optically active via quaternary dihydroazepine building blocks 1365
Biotransformation, synthetic (+)-aristoteline into (-)-alloaristoteline 1197
Biphenylbisphosphine, atropisomeric ligand, asymmetric hydrogenation α-aminoketone and itaconic acid 13
Bis-hydroxydiphenylmethyl-2,2-dimethyl-1,3-dioxacyclopentane, and derivs, chiral shift reagents, detn enantiomeric purity and abs configuration 709

Bis(hydroxymethyl)-ferrocene lipase mediated desymmetrization, prep enantiomers of 2-acetoxymethyl-1-hydroxyme thylferrocene 753
Bis(phenylmethyl)1,4-diaza-bicyclooctane, synthesis 359
Bis(phenylsulfonyl)-ethylene asymmetric Michael addition to chiral enaminoesters 1003
Bis[(S)-phenylalaninamido]-copper, complexes, effect N^2-mono- and dimethylation on crystal structures 387
Bis(triarylphosphite)-Rh, complexes, use in asymmetric hydroformylation of vinyl acetate 583
β-Blockers, enantiomerically pure, optically active chlorohydrin derivs and conversion 521
Borane
modifications by anchoring substitution acyclic [1, 3-]amino alcohols 599
reductions
achiral ketones to chiral sec alcohols 347
aromatic ketones, synthesis chiral β-amino alcohols from (S)-porretine 223
to chiral oxaborolidine catalysts, controlling coordination, enantio-selective ketone reduction 1441
Borohydride, potassium 9-O-1,2-isopropylidene-5-deoxy-α-D-xylofuranosyl-9-borata-bicyclo[3.3.1]nonane, asymmetric reducing properties 73
Bromomethyl-acrylates, addition to chiral imines 351
Building blocks
chiral via branched chain cyclitols 689
diacetone D-glucose, asymmetric photo-deconjugation 759
en route eburnane alkaloids, lipase mediated resolution 2-cyclohexen-1-ols 775
prep and conversion to enantiomerically pure β-adrenergic blockers 205
Butylbicyclo[4.4.0]decanols, abs configuration and odour analysis 197
Butylthio-2-alkanols, resolution, enzymic route to enantiomerically pure 1,2-epoxyalkanes and 2-alkanols 1149

C

Calibration plots, detn enantiomeric purity using chiral lanthanide shift reagents 243
Candida rugosa
Pseudomonas cepacia lipases size of active sites? 1391
Carbanions, sulfoxide stabilized, asymmetric C-C bond formation, Report 961
Carbanucleosides, 1β-adenyl-2α-hydroxy-3β-hydroxymethylcyclo-butane enantiomers 193
Carbanucleotides, pure enantiomers 193
Carbobenzoxy-α-methoxy-glycine, optical resolution 1019
Carbon-carbon, asymmetric bond formation using sulfoxide stabilised carbanions, Report 961
Carbonyl compds
enantioselective catalytic reduction by CBS method, role of alkoxyboranes 921
reactions with sulfoxide stabilized carbanions, Report 961
Carboxylic acids
alcohols, kinetic resolution with homochiral alcohols, carboxylic acids, Mukaiyama or Palomo reagents 1455
chiral center α-position, detn optical purity 1075
enantiomeric purity solvating agent for NMR assay 25
Carboxylic esters, 1,2-ketals of glycerol, enzymatic resolution 65
Catalysts
4-membered oxaborolidines, reduction of ketones, application to (S)-tetramisole 859
activity chiral ligands based on 1,3-cyclopentanediamine 5
asymmetric cis-dihydroxyl-ation alkenes Report 1317
CBS method:
enantioselective reduction carbonyl compds, role alkoxyboranes 921
reactions with sulfoxide stabilized carbanions, Report 961
chiral:
bimetallic construction via 6-endo-hydroxy norphos 849
NADH mimics, stereoselective reduction ethyl benzoylformate to (R) or (S)-ethyl mandelate 871
quantum chemical modelling 921, 933
Rh-bis(oxazolinyl)-pyridine, hydrosilative reduction cyclo-hexanones 1029
controlling coordination borane to chiral oxaborolidine, enantioselective ketone reduction 1441
cyclohexanone monoxygenase, sulfoxidation effect substrate structure on enantioselectivity, stereochemistry 1063
diastereoisomeric pure 2-1-hydroxyalkyl)pyridines, aldehydes addition diethyl-Zn 1235
enzymes:
hydrolysis N-benzyloxy-carbonyl-cis-2,6-(acetoxymethyl)-piperidine 1021
lactonization 3,5-dihydroxy esters 29
synthesis optically active aliphatic cyanohydrins 1223
homogeneous, supported Ni-complexes, diethylzinc addition enones, effect support enantioselectivity 845
hydrogenation cyclic enones to allylic alcohols 1001
lipase, resolution ±-cis-4-hydroxymethyl-2-phenyl-[1,3]-dioxane 209
new chiral, stereo-controlled addition benzaldehyde to diethyl-Zn 1467
Ni-DAIB complexes, enantioselective conjugate addition diethyl-Zn 581
osmylation allyl D-glucopyranoside 21
oxazaborolidine dimers, enantioselective reduction ketones 933
palladium:
cleavage prochiral enol carbonates, enantio-selective keton-isation enols 1161
neutral alkylation chiral cyclic allylic carbonates 1139
selectivity in allylic substitution, Report 1089
polymer attached cyclic dipeptides, enantio-selective cyanohydrin formation 1421
rhodium:
complexes and (-)-sparteine, hydrosilylation prochiral ketones 1055
control,diastereo-selective mono-dehydroenkephalins hydrogenation 1247
Chalcone
enantioselective conjugate addition of diethyl-Zn catalysed by chiral tricarbonyl(arene)Cr/Ni 713
Chelation, effects in prep diethyl α- amino-α-alkyl-

phosphonates by alkylation chiral phosphonoglycine equivs 1131
Chiral approach, enantiomers 1,4-dideoxy-1,4-imino-lyxitol,1,4-dideoxy-1,4-iminoribitol 681
Chirospecific synthesis, (-)-pinidine 607
Chlorodiisopinocampheylborane, stereoselective reduction 2,2-dialkyltetrahydropyran-3-ones 867
Chlorofluorocyclohexanols, via intramolecular trapping dihaloalkyl radicals 9
Chlorohydrin, optically active derivs and conversion, prep enantiomerically pure β-blockers 521
Chloromethyl-(1R)-menthyl ether, protection chiral alcohols 833
Chloroperoxidase, plus hydrogen peroxide, enzymatic enantioselective sulfoxidations 95
Chromatography
1β-adenyl-2α-hydroxy-3β-hydroxymethyl-cyclobutane enantiomers, separation 193
allenes, enantioseparation 661
S-1-(2,3-diaminophenoxy)-3'-N-t-butlyaminopropanol-2'-ol, HPLC, CD analysis 539
diastereomeric mixtures, enantiomers adenyl-hydroxy,hydroxy-methyl-cyclobutane 193
QNB-boronic acid stereoisomers, HPCL separation high optical purity 1271
S-1-(2, 3-diamino-phenoxy)-3'-(N-t-butyl-amino)propan-2'- ol chiral analysis, HPLC 539
Chromium, complexed benzaldehyde, optically active, synthesis taxol C-13 side chain analog 1007
Cinnamamides, from N-alkyl (R)-(-)-2-aminobutan-1-ol, asymmetric Michael addition to Grignard reagents 587
Circular dichroism
abs configuration, chiral phenyl phenylamino-methanes 651
S-1-(2,3-diaminophenoxy)-3-N-t-butylaminopropanol-2-ol 539
data, 6-hydroximino-cholestane derivs 613
Rh_2[camphanate]$_4$(MeOH)$_2$ 1
S-1-(2, 3-diamino-phenoxy)-3'-(N-t-butyl-amino)propan-2'-ol 539
Citronellol, enantiomers, dihydroxylation via Aspergillus niger, synthesis chiral building blocks 1373
Classification, stereoisomers importance conformational chirality 43
Co-crystallization, rac 1-(4-methylthiophenyl)-2-phenylpropan-1-one with (+)-1-(4-methoxyphenyl)-2-phenylpropan-1-one 361
Compactin, lactone moiety, via enantioselective prep cyclohexanetriol derivs 297
Complexes
ruthenium, chiral Schiff base derived from substit aldehydes with L-histidine 307
(S), (S,S)-(+)589- [PtCl-(PHMePh)1,2-C_6H_4(PMePh)$_2$]PF_6 .CH_2Cl_2 resolution 1227
Configuration
absolute via trans-bis(hydroxydiphenylmethyl)-2, 3-dimethyl-1, 3-dioxacyclopentane and derivs as chiral shift reagents 709
arene cis-dihydrodiols, Report 795
2-(α-hydroxy)aryl acrylate esters 255
t-butylbicyclo[4.4.0]decan-3-ols 197
chiral phenyl phenyl-amino-methanes 651
dioxacyclopentane, trans-bis(hydroxydiphenylmethyl-2,2-dimethyl deriv via chiral shift reagents 709
PMR shifts, aldonic acids, propylenediaminetetraacetatoeuropium in aqueous soln 1357
pyrimidin-4-one, 1-benzoyl-(2S)-t-butyl-3-methyl-perhydro-deriv, enantioselective synthesis α-substit β-amino acids 723
unusual bicyclic amino acid 51
Conformation
12-membered macrocyclic trienol 415
3-endo-arylmethylisobornyl esters 367
chirality, importance in stereoisomer classification 43
2-phosphoglycerate deuterated analogs 673
Copper
organoreagents to cyclic sulfines or carbonates of γ, δ-dihydroxy (E)-α, β-enoates 705
Corey prostaglandin, intermediate enantioselective synthesis 115
Corrigenda
Goti A., Cicchi S., Brandi A. and Pietrusiewicz K.M. :**2**, 1371 (1991): compound (+)-**S6** p.1375, p.1377 and stereochemical abstract has been corrected 671
Jansen F.G.A. and Feringa B.L. :**3**, 581(1992): structure and stereochemistry (-)-DAIB on p.1 corrected 671
Kollar L., Wada T.and Lautens M. : **3**, 1011(1992): page 3, paragraph 3, the first sentence has been corrected 1087
Wirz B. and Walther W. : **3**, 1049(1992): Scheme 1, compds 4 & 7 have been redrawn correctly 1087
Cross coupling
chiral phosphine ligands with (η^6-arene)Cr 213
terminal alkynes to cis-diol metabolite from bromobenzene oxidation Pseudomonas putida, synthesis homochiral 3-alkynyl cis-cylcohexa-3,5-diene-1,2-diols 217
Crystals, structures bis[(S)-phenylalanineamido] copper complexes, effect N^2-mono- and dimethylation 387
Cyanocinnamates, chiral, reaction with 2,3-dimethyl-1,3-butadiene 913
Cyanohydrins
aliphatic, enantioselective enzyme catalytic synthesis 1223
chiral, stereoselective synthesis-β-hydroxy-α-amino acids 769
enantioselective formation, polymer attached cyclic dipeptide catalysts 1421
formation catalysed by cyclo-(s)-Phe-His, mechanism 401
Cyanomethylation, of aldehydes using DPMPM chiral catalyst, synthesis of β-hydroxynitriles 677
Cyclic acetals, chiral distinction diastereofaces at α-position 1075
Cyclic carbonates
γ, δ-dihydroxy (E)-α, β-enoates, addition of organo-Cu reagents 705
sulfites, synthesis α-allenic alcohols 1509
Cyclic dipeptides, polymer attached catalysts, enantioselective cyanohydrin formation 1421
Cyclic enones, catalytic hydrogenation to allylic alcohols 1001
Cyclic sulfines, of γ, δ-dihydroxy (E)-α,β-enoates, addition of organo-Cu reagents 705
Cyclic sulfites, synthesis

α-allenic alcohols 1509
Cyclitols, branched chain, synthesis and prep chiral building blocks 689
Cyclo-(s)-Phe-His, catalysed cyanhydrin formation, mechanism 401
Cycloadditions, aldehydes to azomethine ylids, enantiocontrolled construction β-hydroxy-α-amino derivs 1127
Cycloalkenol, functionalised building blocks using lipase in enantio-complementary synthesis 837
Cyclobutanols, regio-stereo- enantio-selective synthesis via photoaddition 1,3-dioxin-4-ones and lipase-catalysed acetylation 313
Cycloheptenone, enantioselective conjugate addition amidocuprates 231
Cyclohex-2-en-1-ones, enantioselective antiaddition of H_2 to double bond 595
Cyclohex-3,5-diene-1,2-diol, in enantiospecific synthesis Report 795
Cyclohexadienes, oxidations, arene cis dihydro-diols, Report 795
Cyclohexane-diamines, key intermediates, opioid σ and κ antagonists, enantioselective synthesis 329
Cyclohexanetriol, prep derivs, synthesis compactin lactone, moiety and quinic acid 297
Cyclohexanones
(2R,3S)-2,3-deutero- and (2R,3S)-2-methyl-3-deutero-micro-biological synthesis 595
hydrosilylative reduction, chiral Rh-bis(oxazolinyl)-pyridine 1029
monooxygenase, catalysed sulfoxidation effect substrate structures on enantioselectivity, stereochemistry 1063
Cyclohexen-1-ols, lipase mediated resolution chiral, building blocks ^en route^ eburnane alkaloids 775
Cyclopentadiene, addition to methyl (E)- and (Z)- (S)-4,5-di-O-isopropylidenepent-2-enoates, rate and stereoselectivity 621
Cyclopentandiamine, synthesis chiral derivs, activity in asymmetric additions 5
Cyclopentene-1,3-dimethanol monoacetate, enzymatic asymmetric synthesis 431
Cyclopropane unit, activated keto group, yeast reduction 116
Cysteine, aminals, thiazolidine ring formation, stereochemistry 1401

D
DABCO, derivs, catalysts for asymmetric syntheses 359
Decen-3,6-diol, synthesis by remote asymmetrical induction 333
Dehydroenkephalins, hydrogenation, chiral Rh catalyst control 1247
Deltacyclene, asymmetric hydroformylation 1011
Deoxyheptitols, enantiomerically pure C_2-branched, synthesis 1573
Deoxypentitols, C_2-branched 2-deoxypentitols, stereoselective synthesis 371
Deracemization, access to chiral allenedicarboxylates 603
Derivatizing agent, chiral (4R,5R)-dicarboalkoxy-2-chloro-[1,3,2]-dioxaphospholane, e.e.chiral alcohols 1243
Desoxynivalenol, plant metabolite, structure 953
Desymmetrization, 1,2-bis(hydroxymethyl)ferrocene, lipase mediated, prep enantiomers of 2-acetoxy-methyl-1-hydroxy-methyl-ferrocene 753
Diacetone, D-glucose, chiral building block, asymmetric photodeconjugation 759
Dialkoxyboranes, chiral, asymmetric reductions imines 227
Dialkyltetrahydropyran-3-one reduction β-chlorodi-isopinocampheylborane 867
via asymmetric Michael addition using chiral imines 863
Diamines, enantiomeric purities using Pd chiral complexes 529
Diamino acid esters, stereoselective synthesis 1377
Diaminophenoxy-3'-N-t-butyl-aminopropanol-2'-ol, asymmetric synthesis with CD and chiral HPLC analysis 539
Dianhydro-D-glucitol monoacetates, precursors for isoglucitol 2- and 5-mononitrates, enzymatic prep 1123
Diastereofaces, distinction α-position cyclic acetals 1075
Diastereoselectivity
addition, nucleophiles to binaphthol-protected arylglyoxals 365
Diels-Alder reactions, chiral sulfinyl derivs as dienophiles under pressure 609
hydrogenation, monodehydroenkephalins, chiral Rh catalyst control 1247
methyl (E)- and (Z)-(S)-4,5-di-O-isopropylidenepent-2-enoates, Diels-Alder addition to cyclo-pentadiene 621
nucleophilic addition to N-acyliminium ion and retro Diels-Alder reaction, synthesis (+)-elaeokanines A and C 535
reduction, nucleophiles to binaphthol-protected arylglyoxals 365
synthesis enantiomeric tert-alcohols via nucleophilic additions to protected D-, L-erythrulose derivs 1511
synthesis meso-lanthionine with discrimination chiral centers 85
Diborane, derivs from N-alkyloxazaborolidines 1145
Didehydroamino acids, residue in cyclic imino-ester derivs, hydrogenation, asymmetric synthesis amino acids 567
Dideoxy-1,4-iminolyxitol, chiral synthesis of enantiomers 681
Dideoxy-1,4-iminoribitol, chiral synthesis enantiomers 681
Diels-Alder
additions, cyclopentadiene to methyl (E)- and (Z)-(S)-4,5-di-O-iso-propylidenepent-2-enoates, rate and stereoselectivity 621
reactions
chiral sulfinyl derivs as dienophiles under pressure 609
imidazolidin-2-one chiral auxiliaries 1553
Diene-Fe(CO)$_3$, formyl substit complexes, biochemical resolution, generation 1355
Dienophiles
acceptors, chiral Michael (+)-(S)-α-diethoxy phosphoryl ethyl p-tolyl sulfoxide 1515
sulfinyl chiral derivs under pressure, Diels-Alder reactions 609
Diethyl-Zn
conjugate addition
aldehydes, catalysed diastereoisomeric pure 2-(1-hydroxyalkyl)-pyridine enantio-selectivity 1235
catalysed Ni^{II}-DAIB complexes

enantoselectivity 581
chalcone catalysed by chiral tricarbonyl-(arene)Cr/Ni, enantio-selectivity 713
enones catalysed by homogeneous and supported chiral Ni-complexes, effect of support on enantio-selectivity 845
stereocontrolled addition benzaldehyde new chiral catalysts 1467
Dihydroazepines, (S) and (R) optically pure, synthesis active 1,1'-binaphthalenes from quaternary building blocks 1365
Dihydrocarvone, Baeyer-Villiger micro-biological oxidation 379
Dihydropyridines
optically active 2-carbamoyloxymethyl-1,4-(R)-(+)- and (S)-(-)-NB 818, enzymatic synthesis 1153
optically pure, via resolution catalysed by rabbit liver esterase 785
Dihydroxy (E),α β-enoates, cyclic sulfines or carbonates, addition of organo-Cu reagents 705
Dihydroxy esters, enzyme catalysed lactonization 29
Dihydroxy-indolizidine, asymmetric synthesis acetonide form 999
Dihydroxylation
asymmetric, alkenes, Report 1317
citronellol enantiomers via Aspergillus niger, synthesis chiral building blocks 1373
Diketo-p-tolylsulfoxides, optically active, synthesis 33
Dimenthylmalonate intermediate in stereo-selective synthesis C-branched sugar 371
protected arabinose, synthesis enantiomerically pure C_2-branched deoxyheptitols 1573
Dimers, stability chiral oxazaborolidines used in enantioselective catalytic reduction ketones 933
Dimethyl-1,3-butadiene, reaction with chiral (E)-2-cyanocinnamates 913
Dimethylaminomethyl-4,5-dihydro-2(3H)-furanone, enantiomerically pure methobromide-constrained analog acetylcholine 1537
Dinitriles, prochiral, enzymatic hydrolysis 1547
Diols
stereo- and enantioselective synthesis 333
structure, synthesis (4R,5R)-α,α,α',α'-2,2-hexaphenyl-4,5-dimethanol-1,3-dioxolane 1591
Dioxin-4-ones
with 2, 3-dihydroxylated alkyl group at 6-position, enantioselective synthesis 1157
plus lipase-catalysed acetylation, synthesis cyclobutanols 313
Dioxines, 4-trimethylsiloxy-6-methylene-, aldol reaction with chiral aldehydes 1157
Dioxolane-4-methanol, 2-disubstit carboxylic esters, enzymatic resolution 65
Eburnane, alkaloids, building blocks en route, lipase mediated resolution 2-cyclohexen-1-ols 775
Elaeocarpus, alkaloids, asymmetric synthesis 535
Elaeokanines, A and C, synthesis via diastereo-selective, nucleophilic addition to N-acyliminium ion and retro Diels-Alder reaction 535
Enaminoesters, chiral, asymmetric Michael addition to phenyl vinyl sulfone and 1,1-bis(phenyl-sulfonyl)ethylene 1003
Enaminoketones, cyclic, lithium dianion, γ-alkylation, stereo-selective C-C bond formation 719
Enantiocomplementary synthesis, functionalised cycloalkenol building blocks using lipase 837
Enantiocontrol, construction β-hydroxy-α-amino derivs, cycloadditions aldehydes to azomethine ylids 1127
Enantiodifferentiation, odour perception α-ambrinols 221
Enantiomeric excess, measurement, use (1R)-menthoxymethyl ether, chiral OH protecting group 833
Enantiomeric purity
1, 2-epoxyalkanes, 2-alkanols via 1-t-butylthio-2-alkanol lipase resolution 1149
α-phenylselenyl carbonyl derivs, synthesis 1289
αβ-unsat γ-lactams, synthesis 1035
β-adrenergic blockers, enzymatic prep, screening method for esterhydroxylase 201
β-adrenergic blockers via prep and conversion building blocks 205
alcohols PMR, (4R,5R)-dicarboalkoxy-2-chloro-1,3,2-dioxaphospholane chiral derivatizing agent 1243
β-blockers, optically active chlorohydrin derivs and conversion 521
C_2-branched-2-deoxyheptitols 1573
chiral lanthanide shift reagents, calibration plots 243
1,2-diamines using Pd chiral complexes 529
dihydroazepines, synthesis active 1,1'-binaphthalenes from quaternary building blocks 1365
dimethylaminomethyl-4,5-dihydro-2(3H)-furanonemet hobromide-constrained analog acetylcholine 1537
trans-bis(hydroxydiphenyl-methyl)-2,2-dimethyl-1,3-di oxacyclopentane and deriv reagents 709
furyl and thienyl p-tolyl sulfoxides, synthesis 857
halostachine analog synthesis from η^6(o-tolu-aldehyde)-Cr-tricarbonyl 287
δ-lactones, enzyme assisted route 831
(R)- and (S)-3-benzyl-3-methyl-2-azetidinone, synthesis 1141
sec alcohols, assays using ephedrineborane 261
solvating agent for NMR assay carboxylic acids 25
tomoxetine, nisoxetine and fluoxetine anti-depressants 525
Enantiomers
1β-adenyl-2α-hydroxy-3β-hydr oxymethyl-cyclobutane 193
2-acetoxymethyl-1-hydroxyme thylferrocene, prep 753
1,4-dideoxy-1,4-imino-lyxitol, 1,4-dideoxy-1,4-iminoribitol, chiral synthesis 681
t-butylbicyclo[4.4.0]decan-3-ols, abs configuration and odour analysis 197
Enantioselectivity
addition:
aldehydes to diethylzinc catalysed diastereo-meric pure 2-(1-hydroxyalkyl)-pyridines 1235
diethyl-Zn to chalcone catalysed by chiral tricarbonyl(arene)Cr/Ni 713
LiCu(MAPP)n-Bu) to 2-cycloheptenone 231
catalytic reduction carbonyl compds, CBS method 921
cyanhydrin formation catalysed by cyclo-(s)-Phe-His, mechanism 401
cyanohydrin formation, polymer attached cyclic dipeptide catalysts 1421
2,2-dialkyltetrahydropyran-3-ones via asymmetric

Michael addition using chiral imines 863
effect solvent in lipase catalysed ring opening phenyloxazolidin-5-ones 1505
effect substrate structure on sulfoxidation catalysed cyclohexanone monooxygenase 1063
ethylation, N-(amido-benzyl)benzotriazoles catalysed by chiral aminoalcohols 437
hydrogenation, oximes, Ru catalysed, BINAP chiral ligand 1283
hydrolysis nitriles, amides using immobilized whole cell system 1543
hydrosilylation ketones, lithium 1, 2-diphenyl-1, 2-ethanediolate chiral auxiliary 693
improved via mono-sulfonated diphosphine ligand for homogeneous imine hydrogenation 235
ketone reduction, controlling coordination, borane to chiral oxaborolidine catalysts 1441
ketone reduction using oxazaborilidine ketone-borane complexes, conformational freedom of ketone group 1563
ketonisation enols from Pd catalysed cleavage prochiral enol carbonates 1161
lipase transesterification trifluoroethyl butyrate, effect temp 1395
oxazaborolidine reduction, ketones Report 1475
porcine pancreatic lipase, effect organic solvents 267
Pseudomonas lipase, prep optically pure isomeric pyridyl-1-ethanols 827
recognition, phenacetyl in pen G acylase hydrolysis phenylacetate esters 383
reduction:
achiral ketones, borane catalysed 347
aromatic ketones, borane catalysed, synthesis chiral β-amino alcohols from (S)-porretine 223
carbonyl compds CBS method, role of alkoxyboranes 921
ketones:
catalysed with 4-membered oxazaborolidines application to (S)-tetramisole 859
catalytic, stability dimers of chiral oxazaborolidines used 933
sulfoxidations with chloroperoxidase plus hydrogen peroxide 95
synthesis:
4-hydroxy-2-oxo-pyrrolidine-N-acetamide from malic acid 1431
3-hydroxy-5-decanolide, (-)-massoialactone, 3-hydroxy-5-icosanolide 29
(+)- and cis-3-amino-cyclopentane carboxylic acids by enzymatic asymmetrization 199
(5R,9R)-5-propyl-octahyroindolizine 695
α-substit β-amino acids 723
α-amino phosphonic acids via stereo-selective opening homochiral acetals with triethyl phosphite 377
α-methyl amino acid derivs via phase transfer catalysis 591
β-hydroxy nitriles via cyanomethylation aldehydes using DPMPM chiral catalyst 677
compactin lactone moiety and quinic acid, prep cyclohexanetriol derivs 297
Corey prostaglandin intermediate 115
1,3-dioxin-4-ones with 2, 3-dihydroxylated alkyl group at 6-position 1157
α-fluoro-β-keto acids 1025
(2R,5R)-2,5-hexanediol and (3S,6R)-4-decen-3,6-diol 333
homochiral (+)-(1R, 2S, 3S, 4S)- and (-)-(1S, 2S, 3R,4R)-bicyclo-[2.2.1]heptane-2, 3-dicarboxylic acid, 2-methyl esters 1205
isomeric building blocks for 2-norleukotriene analogs 355
optically active aliphatic cyanohydrins, enzyme catalysed 1223
optically active β-aminoalcohols via asymmetric reduction 341
vicinal cyclo-hexanediamines, key intermediates, opioid κ and σ-agonists 329
synthesis optically active sec amines via asymmetric reduction 1583
Enantioseparation, of allenes by gas chromatography 661
Enantiospecificity
route to (6R)-(-)-massoialactone and (4R,6R)-(+)-4-hydroxy-6-pentylvalerolactone 533
synthesis, use cyclohexa-3,5-diene-1,2-, diols,Report 795
synthesis C-methyl azidoinositols and aminocyclitols from toluene 1135
Enol carbonates, prochiral Pd catalysed cleavage, enantioselective ketonisation enols 1161
Enols, from Pd catalysed cleavage prochiral enol carbonates, ketonisation 1161
Enones, conjugate addition diethylzinc catalysed by homogeneous and supported chiral Ni-complexes, effect of support on enantio-selectivity 845
Enzymes
β-adrenergic blockers, enantiomerically pure, screening method for esterhydroxylase 201
β-blockers enantio-merically pure optically active chlorohydrin derivs and conversion 521
[1,4:3,6-]dianhydro-D-glucitol monoacetates, isomerically pure, precursors for isoglucitol 2- and 5-mononitrates 1123
generation planar chirality, (arene)tricarbonylchromium series 375
hydrolysis:
N-benzyloxycarbonyl-cis-2, 6-(acetoxymethyl)piperidine 1021
prochiral 2-O-allyl-glycerol ester 137
prochiral dinitriles 1547
lactonization 3,5-dihydroxy esters 29
microbial approach to chiral β- and γ-nitro alcohols 947
resolution 2,2-disubstit 1,3-dioxolane-4-methanol carboxylic esters 65
sulfoxidations with chloroperoxidase plus hydrogen peroxide, enantioselectivity 95
synthesis:-
3-hydroxybutyramides, conversion to optically active 1,3-aminoalcohols 1519
1,2-epoxyalkanes and 2-alkanols,enantio-merically pure, 1-t-butylthio-2-alkanol resolution 1149
2-phosphoglycerate deuterated analogs, NMR structure 6733
chiral phenylglycidols reduction to 1-phenyl-1,2-propanediols 1369
chiral 3-(hydroxymethyl)-piperidine derivs 1049
cis-3-aminocyclopentane carboxylic acids by asymmetrization 199
cis-4-cyclopentene-1,3-di-

methanol monoacetate 431
enantiomerically pure β-adrenergic blockers 205
entiomerically pure δ-lactones 831
optically active 2-carbamoyloxymethyl-1,4-dihydropyridines (R)-(+)- and (S)-(-)-NB 818 1153
optically active aliphatic cyanohydrins, synthesis 1223
side-chain benzyl esters L-α-amino dicarboxylic acids 1015
Ephedrineborane, use enantiomeric purity assays sec-alcohols 261
Ephedrines, derived N-alkyloxazaborolidines 727
Epoxidation, Sharpless, kinetic resolution 1-methyl-1-phenylpropyl hydroperoxide 507
Epoxides, lipase ring opening with 2-propylamine stereoselective synthesis (S)-propanol amines 1361
Epoxyacetylene, chiral building block, stereocontrol route to δ-benzylidenemethyl-β-hydroxy-δ-lactone system 853
Epoxyalcohols
chiral baker's yeast reduction epoxy-4-phenyl-2-butanone 1381
synthesis chiral vinyl carbinols 573
Epoxyalkanes, enantiomerically pure via 1-t-butylthio-2-alkanol lipase resolution 1149
Erythrulose, derivs, additions, synthesis tert-alcohol enantiomers 1511
Esterase, rabbit liver catalysed resolution, optically pure 1,4-dihydropyridine 785
Ethyl mandelate, (R) or (S)-, via reduction ethyl benzoylformate 871
Ethylation, N-(amidobenzyl)benzotriazoles catalysed by chiral aminoalcohols 437

F
Fermentation, glucose in glycerol, stereochemistry proton transfer mediated by phosphoglucoisomerase, deuterium NMR proof 685
Fischer, projection, alkene geometry and axial stereogenicity 735
Fluorine, containing phenylalanines, asymmetric synthesis 555
Fluoro-β-keto acids, enantioselective prep 1025
Fluorochloroalkyl radicals prep fluoro- and gem-chlorofluorocyclohexane derivs 9
Fluorocyclohexanols, via intramolecular trapping dihaloalkyl radicals 9
Fluoxetine, enantiomerically pure antidepressant 525
Furyl-p-tolyl sulfoxides, synthesis 857

G
Generation, biochemical, planar chirality in formyl substit (diene)Fe(CO)$_3$ complexes 1355
Geotrichum sp, synthesis R-, S-9-hydroxy-(E)-2-decenoic acid, queen bee pheromone 1523
Gephyrotoxin 167B, enantioselective synthesis 695
Glucose, fermentation into glycerol, stereochemistry proton transfer by phosphoglucoisomerase NMR evidence 685
Glutamic acid, synthesis homochiral R-baclofen 1213
Glycerol, asymmetric synthesis 2-alkyl-2,3-dihydroxypropionates 697
Glycidyl sulfonates, prep positive inotropes, effect metal ions and solvent on stereochemistry 1189
Glycosyl glycerol, derivs via catalytic osmylation allyl D-glucopyranoside 21
Grignard, reagents, asymmetric Michael addition to cinnamamides from N-alkyl (R)-(-)-2-amino-butan-1-ol 587

H
Halostachine analog, enantiomerically pure synthesis from η^6(o-tolualdehyde)-Cr-tricarbonyl 287
Hexanediol, synthesis by remote asymmetrical induction 333
Hexylthiodecanoic acid, synthesis 715
Hydroformylation
asymmetric deltacyclene 1011
vinyl acetate using chiral bis(triarylphosphite)-Rh complexes 583
Hydrogenation
catalytic, cyclic enones to allylic alcohols 1001
didehydroamino acid residue in cyclic imino-ester derivs, asymmetric synthesis amino acids 567
imines improved by mono-sulfonated diphosphine ligand 235
monodehydroenkephalins, chiral Rh catalyst control 1247
oximes, Ru catalysed, BINAP chiral ligand 1283
Hydrolysis
enzymatic:
N-benzyloxycarbonyl-cis-2,6-(acetoxymethyl)-piperidine 1021
prochiral 2-O-allylglycerol ester derivs 137
prochiral dinitriles 1547
nitriles, amides, enantioselectivity using immobilized whole cell system 1543
Hydroperoxides, kinetic resolution via Sharpless epoxidation 507
Hydrophobic pockets, sizes? lipases from Candida rugosa, Pseudomonas cepacia 1391
Hydrosilylation
ketones, lithium 1,2-diphenyl-1,2-ethanediolate chiral auxiliary 693
prochiral ketones catalysed by Rh-complexes and (-)-sparteine 1055
reduction substit cyclohexanone derivs, chiral Rh-bis(oxazolinyl) pyridine 1029
Hydroximino-5β-cholestane, derivs, spectroscopic properties 613
Hydroxy norphos, synthesis 849
Hydroxy-5-decanolide, enantioselective synthesis 29
Hydroxy-5-icosanolide, enantioselective synthesis 29
Hydroxy-6-pentylvalerolactone, enantiospecific route 533
Hydroxy-α-amino derivs, cycloadditions aldehydes to azomethine ylids 1127
Hydroxy-aryl acrylate esters, synthesis, resolution, configuration 255
Hydroxy-(E)-2-decenoic acid, queen bee pheromone synthsis using Geotrichum sp 1523
Hydroxyalkylpyridines, catalysed enantioselective addition aldehydes to diethylzinc 1235
Hydroxybutyramides, enzymatic synthesis, conversion to optically active 1,3-aminoalcohols 1519
Hydroxycyclo-2-pentenone, and 2-allyl deriv, resolution 517
Hydroxyesters, stereoselective aldol route using imidazolidin-2-one auxiliary 515
Hydroxymethyl-2-phenyl-1,3-dioxane, lipase catalysed

resolution 209
Hydroxymethyl-piperidines, derivs, enzymatic prep 1049
Hydroxymethylbutenolide, derivs asymmetric reduction, synthesis factor-1 1385
Hydroxynitriles, via cyanomethylation of aldehydes using DPMPM chiral catalyst 677
Hydroxynorphos, construction chiral bimetallic catalyst 849
Hydroxypyrrolizidin-3-ones via aldol reaction N-Boc-(S)-prolinal and chiral acetate enolate equivs from iron acetyl complex 123

I
Imidazolidin-2-one, auxiliary for stereoselective aldol route to β-hydroxyesters 515
Imidazolidin-2-ones, chiral auxiliaries Diels-Alder reactions 1553
Imines
addition:
2-bromomethyl-acrylates 351
chiral, synthesis 2,2-dialkyltetra-hydropyran-3-ones 863
Michael asymmetric reactions, Report 459
hydrogenation, improved by mono-sulfonated diphosphine ligand 235
reactions with sulfoxide stabilised carbanions, Report 961
reductions, with dialkoxyboranes 227
Imino-esters, cyclic derivs, didehydroamino acid residue, asymmetric synthesis amino acids via hydrogenation 567
Inclusion compd, crystalline, dihydro-[9,10]-ethanoanthra-cene-dicarboxylic acid and acetic acid, structure 1555
Indanylglycine, χ1, χ2-constrained side-chain derivs L-phenylalanine, L-2-naphthylalanine, asymmetric synthesis diastereoisomers 1351
Indoline carboxylic acid, synthesis chiral β-amino alcohols 347
Inhibitors, 5-lipoxygenase, synthesis via intermediate tetrahydropyran-(3R)-carbox aldehyde 731
Inotropes, positive, prep via glycidyl derivs, effect metal ions and solvent on stereochemistry 1189
Isoglucitol, 2- and 5-mononitrates, enzymatic prep [1,4:3,6-]di-anhydro-D-glucitol monoacetate precursors 1123
Isopropyl-5-methylcyclo-hexane-sulfonyl cyanide, synthesis 749
Itaconic acid, asymmetric hydrogenationuse use of biphenylbisphosphine 13

K
Keto amides, reduction, baker's yeast resolution potential using 1-phenylethylamine 281
Keto group, activated by cyclopropane unit, yeast reduction 1165
Ketones
achiral, reduction using oxazaborolidine derived from ephedrine 1539
aromatic, reductiòn with borane, synthesis chiral β-amino alcohols from (S)-porretine 223
enantioselective reduction:
catalytic, stability dimers of chiral oxazaborolidines used 933
using oxazaborilidine ketone-borane complexes, conformational freedom of ketone group 1563
hydrosilylation, lithium 1, 2-diphenyl-1, 2-ethanediolate chiral auxiliary 693
oxazaborolidinereduction Report 1475
prochiral hydro-silylation catalysed by Rh-complexes and (-)-sparteine 1055
reduction with 4-membered oxazaborolidines, application to (S)-tetramisole 859
reduction, controlling coordination, borane to chiral oxaborolidine catalysts 1441
Ketonisation, enols from Pd catalysed cleavage prochiral enol carbonates 1161
Kinetics, resolution, 1-methyl-1-phenylpropyl hydroperoxide via Sharpless epoxidation 507

L
Lactams, α, β-unsat homochiral, synthesis 1035
Lactones
enantiomerically pure, enzyme assisted route 831
natural products, enantiospecific route 533
Lanthanide shift reagents, calibration plots, detn enantiomeric purity 243
Lanthionine, diastereoselective synthesis protected meso-lanthionine with discrimination chiral centers 85
Leukotrienes, nor, analogs via enantioselective synthesis isomeric building blocks 355
Lignans, dibenzylbutyrolactone, dibenzylbutanediol, aryltetralin, dibenzocyclooctadiene, asymmetric synthesis 239
Lipase
acylation butyl mandelate, role solvent and acylating agent, improved multivariate approach 903
Candida rugosa, Pseudomonas cepacia size of active sites? 1391
catalysed ring opening 4-substit 2-phenyl oxazolidin-5-ones, effect solvent on enantio-selectivity 1505
catalysed transester-ification, prep optically active monobutyrate of cis 2,3-epoxybutane-1, 4-diol 1529
catalysed transester-ification using 2,2,2-tri-fluoroethyl butyrate, effect temp on reaction rate and enantioselectivity 1395
enantiocomplementary synthesis functionalised cycloalkenol building blocks 837
mediated desymmetrization, 1,2-bis-(hydroxy-methyl)ferrocene, prep enantiomers of 2-acetoxymethyl-1-hydroxymethylferrocene 753
porcine pancreatic, effect organic solvents on enantioselectivity 267
Pseudomonas sp, prep optically pure enantiomers isomeric pyridyl-1-ethanols 827
resolution:
1-t-butylthio-2-alkanols route to enantio-merically pure 1, 2-epoxyalkanes and 2-alkanols 1149
±-cis-4-hydroxymethyl-2-phenyl-1,3-dioxane 209
mediated 2-cyclo-hexen-1-ols, chiral building blocks en route eburnane alkaloids 775
ring opening epoxides with 2-propylamine stereo-selective synthesis (S)-propanol amines 1361
Lipoxygenase, inhibitor, synthesis via intermediate tetrahydropyran-(3R)-carbox aldehyde 731
Lithium
aluminium hydride,

modifications by anchoring substitution acyclic 1, 3-amino alcohols 599
azide, styrene oxide ring opening using aqueous cyclodextrins 247
dianion of chiral cyclic β-enamino ketones, γ-alkylation, stereoselective C-C bond formation 719
1,2-diphenyl-1, 2-ethanediolate, optically active, auxiliary enantioselective hydrosilylation of ketones 693

M
Macrocyclic, trienol 12-membered, conformationally controlled transannular reactions 415
Malic acid, enantioselective synthesis 4-hydroxy-2-oxopyrrolidine-N-acetamide 1431
Mandelic acid esters, lipase-mediated acylation, role solvent and acylating agent, improved multivariate approach 903
Mandelonitrile lyase, aliphatic cyanohydrins enantioselective synthesis 1223
MAPP-cuprates, synthetic optimization 231
Massoialactone
enantioselective synthesis enantiospecific route 533
Mechanisms, aspects, asymmetric Michael addition reactions, using chiral, imines Report 459
Menthone, Baeyer-Villiger microbiological oxidation 379
Menthoxymethyl ether
chiral OH protecting group, use measurement enantiomeric excess 833
chiral OH protecting group in measurement enantiomeric excess 833
Mercaptoisoborneol, synthesis homochiral 1-methoxy-3-sulfinyl-1, 3-butadienes 701
Metabolites
bromobenzene oxidation Pseudomonas putida, coupling to terminal alkynes, synthesis homochiral 3-alkynyl cis-cyclo-3,5-hexa-1,2-diols 217
plant, 4-desoxynivalenol, structure 953
Metals
chiral bimetallic catalyst construction via 6-endo-hydroxy norphos 849
complex (S), (S,S)-(+)589-[PtCl(PHMePh)1,2-C_6H_4(PMePh)$_2$]PF_6.CH_2Cl_2 resolution 1227
ions, effect on stereochemistry, prep positive inotropes via glycidyl sulfonates 1189
Methoxy-3-sulfinyl-1,3-butadienes, homochiral, derived from 10-mercaptoisoborneol 701
Methoxyphenyl-2-phenylpropanone, co-crystallization with 1-(4-methylthiophenyl)-2-phenylpropane-1-one 361
Methyl (E)- and (Z)-(S)-4, 5-di-O-isopropylidenepent-2-enoates, cyclopentadiene addition, rate and stereoselectivity 621
Methyl-1-phenylpropylhydroperoxide, kinetic resolution via Sharpless epoxidation 507
Methyl-azidoinositols, enantiospecific synthesis from toluene 1135
Methyl-o-methoxybenzyl methyl ether, via tricarbonyl-(η^6-o-methoxybenzyl methyl ether)Cr 1303
Methylation, tricarbonyl(η^6-o-methoxybenzyl methyl ether)Cr stereoselectivity 1303
Methylphenylalanine, p-phosphono-, p-sulfo-, p-carboxy- and p-N-hydroxycarboxamido-, resolution and synthesis p-phosphono- and p-sulfophenylalanine 637
Methylthiophenyl-2-phenylpropan-1-one, resolution by co-crystallization with (+)-1-(-methoxyphenyl)-2-phenylpropan-1-one 361
Michael, addition reactions using chiral imines, Report 459
Microbiology
Baeyer-Villiger oxidations, menthone and dihydrocarvone 379
chemical asymmetric oxidation, sulfides, prep (S)-vinyl sulfoxides 629
Microorganisms
approach to 2-thiazolyl γ-and δ-lactones 107
enzymatic approach to chiral β- and γ-nitro alcohols 947
Monobutyrate, cis 2,3-epoxybutane-1, 4-diol, optically active via lipase catalysed transesterification 1529
Mugineic acid, synthesis γ-azetidinyl-β-hydroxy-α-amino acid intermediate 1069
Mukaiyama, reagents, kinetic resolution alcohols, carboxylic acids with homochiral carboxylic acids, alcohols 1455

N
NADH, chiral organometallic mimics, stereoselective reductions ethyl benzoylformate, prep (R) or (S)-ethyl mandelate 871
Naphthylalanine, asymmetric synthesis diastereoisomers L-1-indanylglycine, L-1-benz[f]indanylglycine χ^1, χ^2-constrained side-chain derivs 1351
Naproxen, asymmetric synthesis via pinacol-type reaction 1551
Neurotoxins, (+)-anatoxin-a synthesis 1263
Nickel
chiral t-butylamino-carbonylpyrrolidine acetylacetonate Ni-hexafluorophosphate catalysed diethylzinc conjugate addition to enones 845
complexes, chiral homogeneous and supported catalysts, effect enantioselectivity addition diethylzinc to enones 845
^{11}-DAIB complexes, use in conjugate enantioselective catalysed addition, diethylzinc 581
Nisoxetine, enantiomerically pure antidepressant 525
Nitriles, enantioselective hydrolysis using immobilized whole cell system 1543
Nitroalcohols, chiral, enzymatic and microbial approach 947
NMR
^{31}P, enantiomeric purity alcohols, (4R,5R)-dicarboalkoxy-2-chloro-1,3,2-dioxaphospholane chiral derivatizing agent 1243
abs config, aldonic acids relationship, propylenediaminetetraacetatoeuropium in aqueous soln 1357
stereochemistry proton transfer mediated by phosphoglucoisomerase via fermentation glucose into glycerol 685
Nucleophiles, addition vinylketenimine complexes, asymmetric synthesis C-quaternary centers 143

O
Odours
analysis, t-butylbicyclo-[4.4.0]decan-3-ols 197
perception α-ambrinols, enantiodifferentiation 221
Organometallic compds, chiral NADH mimics, stereoselective reduction ethyl benzoylformate to (R) or (S)-ethyl mandelate 871
Organozinc, reagents(derived from 2-bromomethyl-

acrylates) addition to chiral imines 351
Osmium tetroxide, catalytic, non-catalytic cis-hydroxylation alkenes, Report 1317
Osmylation, catalytic, allyl D-glucopyranoside 21
Oxathiane, benzyl sulfonium perchlorate, axial structure 1597
Oxazaborolidines
4-membered, reduction of ketones, application to (S)-tetramisole 859
catalyst, achiral ketones to sec chiral alcohols 347
chiral, asymmetric synthesis, Report 1475
derived from ephedrine, asymmetric reduction achiral ketones 1539
ketone-borane complexes, conformational freedom of ketone group in reduction of ketones 1563
N-alkyl-, derived from ephedrines 727
diborane derivs 1145
stability of dimers used in enantioselective catalytic reduction ketones 933
Oximes, Ru-catalysed asymmetric hydrogenation, BINAP chiral ligand 1283
Oxiracetam, enantioselective synthesis from malic acid 1431

P
Palladium
allylic substitution, selectivity, Report 1089
chiral complexes for enantiomeric purities 1,2-diamines 529
cleavage prochiral enol carbonates, enantioselective ketonisation enols 1161
complex, neutral alkylation chiral cyclic allylic carbonates 1139
coupling terminal alkynes cis-diol metabolite, bromobenzene oxidation Pseudomonas putida, synthesis homochiral 3-alkynyl cis-cyclo-hexa-3,5-diene-1,2-diols 217
Palomo reagents, kinetic resolution alcohols, carboxylic acids with homochiral carboxylic acids, alcohols 1455
Pen G acylase, hydrolysis phenylacetate esters, phenacetyl recognition 383
Pentadienedioates, chiral via deracemization 603
Phenacetyl, recognition in pen G acylase hydrolysis phenylacetate esters 383
Phenyl phenylamino-methanes, chiral, abs configuration and CD 651
Phenyl vinyl sulfone, asymmetric Michael addition to chiral enaminoesters 1003
Phenyl-1,2-propanediols via reduction chiral phenylglycidols 1369
Phenylacetate esters, pen G acylase hydrolysis, phenacetyl recognition 383
Phenylalanine, asymmetric synthesis diastereoisomers L-1-indanylglycine, L-1-benz[f]indanylglycine $\chi 1$, $\chi 2$-constrained side-chain derivs 1351
Phenylglycidols, chiral, enzymatic synthesis, reduction to 1-phenyl-1,2-propanediols 1369
Phenylmenthylisocyanoacetate synthesis 39
Phenyloxazolidin-5-ones, lipase catalysed ring opening, effect solvent on enantioselectivity 1505
Phenylselenyl carbonyl derivs, optically active, synthesis 1289
Phenylselenylation, silyl enol ethers, high diastereoselectivity 1289
Phenylthiomethyl-2-buteno-lide, derivs, Saccharomyces cerevisiae reduction, synthesis chiral C-5 building blocks for terpenoids 1399
Pheromones, queen bee, Geotrichum sp synthesis (R, S)-9-hydroxy-(E)-2-decenoic acid 1523
Phosphinamine, chiral atropisomeric, synthesis and racemisation 17
Phosphine ligands, chiral with (η^6-arene)Cr and catalytic asymmetric cross coupling 213
Phosphoglucoisomerase, stereochemistry proton transfer NMR evidence, fermentation glucose into glycerol 685
Phosphoglycerate, deuterated analogs, enzymatic synthesis NMR structure 673
Phosphono- and p-sulfophenylalanine, synthesis, resolution of p-phosphono-, p-sulfo-, p-carboxy- and p-N-hydroxy-carboxamido-methylphenylalanine 637
Phosphonoglycine, chiral, alkylation, prep diethyl α-amino-α-alkylphosphonates, chelating effects 1131
Photoaddition, 1,3-dioxin-4-ones plus lipase-catalysed acetylation, synthesis cyclobutanols 313
Photodeconjugation, asymmetric, diacetone D-glucose building block 759
Pinacol-type, reaction, asymmetric synthesis naproxen 1551
Pinidine, chirospecific synthesis 607
Piperidines, optically active, enzymatic route 1021
Planar chirality, formyl substit (diene)$Fe(CO)_3$ complexes, biochemical resolution, generation 1355
Plants, metabolite, 4-desoxynivalenol, structure 953
Polyether toxins, marine, asymmetric synthesis trans-fused octa-hydropyrano-pyran related sub-units 867
Propanol amines, stereoselective synthesis, lipase ring opening epoxides with 2-propylamine 1361
Propylamine, lipase ring opening epoxides, stereoselective synthesis (S)-propanol amines 1361
Propylenediaminetetraacetato europium, aqueous soln, relation between PMR and abs configuration in aldonic acids 1357
Prostaglandins
biologically active PGD_2 analog, synthesis 1525
Corey intermediate enantioselective synthesis 115
synthesis, optical resolution of key compds 517
Protection, chiral alcohols with chloromethyl-(1R)-menthyl ether 833
Protons, transfer, glucose in glycerol fermentation mediated by phospho-glucoisomerase, deuterium NMR proof 685
Pseudomonas putida, metabolite bromobenzene oxidation, coupling to terminal alkynes, synthesis homochiral 3-alkynyl cis-cylcohexa-3,5-diene-1,2-diols 217
Pseudomonas sp, lipase, prep enantiomers isomeric pyridyl-1-ethanols 827
Pummerer reaction, 2-p-tolylsulfinyl cyclohexanols 251
Pyridyl-1-ethanols, optically pure, prep 827
Pyrrolidinones, hydroxylate via homochiral α,β-unsat γ-lactams 1035

Q
QNB-boronic acid, 4-stereoisomers synthesis

HPCL separation high optical purity 1271
Quantum chemical modeling, chiral catalysis 921, 933, 1441, 1563
Quinic acid, via enantioselective prep cyclohexanetriol derivs 297

R
Racemisation, chiral atropisomeric phosphinamine 17
Recognition, phenacetyl in pen G acylase hydrolysis phenylacetate esters 383
Reduction
aromatic ketones with borane, synthesis chiral β-amino alcohols from (S)-porretine 223
asymmetric properties potassium 9-O-[1.2]-isopropylidene-5-deoxy-α-D-xylofuranosyl-9-borata-bicyclo[3.3.1]nonane 73
carbonyl compds by CBS method, role of alkoxyboranes enantioselectivity 921
enantioselective, ketones, controlling coordination, borane to chiral oxaborolidine catalysts 1441
hydrosilylation, substit cyclohexanone derivs, chiral Rh-bis(oxazolinyl)pyridine 1029
imines with dialkoxy-boranes 227
β-keto amides, baker's yeast resolution potential using 1-phenylethylamine 281
ketones
oxazaborolidine, Report 1475
stability dimers of chiral oxazaborolidines, enantioselectivity 933
using oxazaborilidine ketone-borane complexes, conformationayll freedom of ketone group 1563
yeast, keto group activated by cyclopropane unit 1165
Resolution
1-methyl-1-phenylpropyl hydroperoxide via Sharpless epoxidation 507
1-t-butylthio-2-alkanols, enzymic route to enantiomerically pure 1, 2-epoxyalkanes and 2-alkanols 1149
arene trans dihydrodiols, Report 795
2-α-hydroxy)aryl acrylate esters 255
baker's yeast potential, reduction β-keto amides using 1-phenylethylamine 281
bicyclo[3.2.0]2-hepten-6-one and bicyclo[4.2.2]-octen-7-one 517
biochemical, planar chirality in formyl substit (diene)Fe(CO)$_3$ complexes 1355
catalysed by rabbit liver esterase, optically pure 1,4-dihydropyridine 785
2-cyclohexen-1-ols, lipase mediated, chiral building blocks en route eburnane alkaloids 775
2,2-disubstit 1,3-di-oxolane-4-methanol carboxylic esters 65
methylphenylphosphine complex [(S), (S,S)]-(+)589-[PtCl(PHMePh)[1,2-C_6H_4(PMePh)$_2$]PF_6.CH_2Cl_2 1227
4-hydroxycyclo-2-pentenone and 2-allyl deriv 517
cis-4-hydroxymethyl-2-phenyl-1,3-dioxane, lipase catalysis 209
kinetic, rac carboxylic acids, alcohols, with homochiral alcohols, carboxylic acids, Mukaiyama or Palomo reagents 1455
mandelic acid esters, optimization study mutivariate approach 903
p-phosphono-, p-sulfo-, p-carboxy- and p-N-hydroxycarboxamido-methyl-phenylalanine, synthesis of p-phosphono and p-sulfo-phenylalanine 637
optical, N-carbo-benzoxy-α-methoxyglycine 1019
rac 1-(4-methylthiophenyl-2-phenylpropan-1-one by co-crystallization with (+)-1-(4-methoxyobenyl)-2-phenylpropan-1-one 361
Rhodium
$_2$[camphanate]$_4$(MeOH)$_2$, CD, X-ray structure 1
bis(oxazolinyl)pyridine, chiral hydrosilylative reduction cyclohexanones 1029
catalytic control, diastereoselective monodehydroenkephalins hydrogenation 1247
complexes and (-)-sparteine, hydrosilylation prochiral ketones 1055
Ring opening
lipase catalysed ring opening phenyl-oxazolidin-5-ones, effect solvent on enantio-selectivity 1505
styrene oxide with lithium azide using aqueous cyclodextrins 247
Ruthenium
catalysed asymmetric hydrogenation oximes oximes, BINAP chiral ligand 1283
chiral Schiff base complexes derived from substit aldehydes with L-histidine 307

S
Saccharomyces cerevisiae
asymmetric reduction, 3-hydroxymethylbutenolide derivs 1385
reduction 3-phenylthio-methyl-2-butenolide and derivs, synthesis chiral C-5 building blocks for terpenoids 1399
reduction epoxy-4-phenyl-2-butanone synthesis chiral epoxy alcohols 1381
Screening, esterhydroxylase, enzymatic prep β-adrenergic blockers 201
Selectivity, Pd catalysed allylic substitution, Report 1089
Sharpless, epoxidation, 1-methyl-1-phenylpropyl hydroperoxide, kinetic resolution 507
Silyl enol others, high diastereoselectivity, phenylselenylation 1289
Solvents
and metal ions, effect on stereochemistry, prep positive inotropes using glycidyl derivs 1189
organic, enantioselectivity of lipases, effect of medium and reaction conditions 267
Sparteine
plus Rh-complexes hydrosilylation prochiral ketones 1055
Spectroscopy, 6-hydroximino-5β-cholestane derivs, properties 613
Stereochemistry
effect substrate structure on sulfoxidation catalysed cyclohexanone monooxygenase 1063
prep positive inotropes via glycidyl sulfonates, effect solvent and metal ions 1189
proton transfer mediated by phosphoglucoisomerase via fermentation glucose into glycerol, NMR evidence 685
thiazolidine ring formation from aminals, cysteine 1401
Stereocontrol
addition, organozinc reagents derived from 2-(bromomethyl)acrylatesto chiral imines 351
addition benzaldehyde to diethyl-Zn, new chiral catalysts 1467
asymmetric synthesis (2R,3S)(-)-N-benzoyl-3-phenyl-isoserine methyl ester 1007
route to δ-benzylidene-methyl-β-hydroxy-δ-lactone system using chiral epoxyacylene building block

853
Stereoisomers
classification importance conformational chirality 43
QNB-boronic acid, synthesis, HPCL separation high optical purity 1271
Stereoselectivity
aldol route to β-hydroxyesters using imidazolidin-2-one auxiliary 515
hydrosilylation substit cyclohexanone derivs, chiral Rh-bis(oxazolinyl)pyridine 1029
reduction:
2,2-dialkyl-tetrahydropyran-3-ones, synthesis subunits related to marine polyether toxins 867
ethyl benzoylformate with chiral organometallic NADH mimics, prep (R) or (S)-ethyl mandelate 871
synthesis:
β-hydroxy-α-amino acids from chiral cyanohydrins 769
C_2-branched 2-deoxypentitols 371
(2R,5R)-2,5-hexanediol and (3S,6R)-4-decen 3,6-diol 333
diamino acid esters 1377
(S)-propanol amines, lipase ring opening epoxides with 2-propylamine 1361
Stereospecificity, chemoenzymatic synthesis, deuterated analogs 2-phosphoglycerate and NMR structure 673
Streptomyces viridocchromogenes factor-1 autoregulator, synthesis 1385
Structures
axial, oxathiane benzyl sulfonium perchlorate 1597
crystalline inclusion compd dihydro-[9,10]-ethanoanthracene-dicarboxylic acid and acetic acid 1555
2-phosphoglycerate, NMR 673
plant metabolite 4-desoxynivalenol 953
synthesis (4R,5R)-α,α,α′,α′-2,2-hexaphenyl-4,5-dimethanol-1,3-dioxolane 1591
Styrene oxide, ring opening with lithium azide using aqueous cyclodextrins 247
Substitution, anchoring, acyclic 1, 3-amino alcohols, chiral ligands in modifications of LAH and borane 599
Substrate structure, effect enantioselectivity, stereochemistry sulfoxidation catalysed cyclohexanone monooxygenase 1063
Sugars, enantiomerically pure C_2-branched deoxyheptitols, synthesis 1573
Sulfides
biotransformation to sulfoxides, Report 961
microbiological and chemical asymmetric oxidation, prep (S)-vinyl sulfoxides 629
Sulfinyl, chiral derivs as dienophiles under pressure, Diels-Alder reactions 609
Sulfinyldienes, 1-substit-homochiral, derived from 10-mercapto-isoborneol 701
Sulfonated diphosphine ligand improving homogeneous imine hydrogenation 235
Sulfoxidation
catalysed cyclohexanone monooxygenase, effect substrate structure on enantioselectivity, stereochemistry 1063
with chloroperoxidase plus hydrogen peroxide 95
Sulfoxides
chiral Michael diethoxyphosphorylvinyl p-tolyl deriv acceptor, dienophile 1515
furyl and thienyl p-tolyl, synthesis 857
stabilised carbanions, asymmetric C-C bond formation, Report 961

T
Taxol, C-13 side chain analog, asymmetric synthesis 1007
Terpenoids, synthesis chiral C-5 building blocks, baker's yeast reduction 3-phenylthiomethyl-2-butenolide and derivs 1399
Tetrahydropyran-3R-carboxaldehyde, intermediate for synthesis inhibitor 5-lipoxygenase 731
Tetramisole, reduction ketones with 4-membered oxazaborolidines 859
Thiazolidine, ring formation from aminals and cysteine, stereochemistry 1401
Thiazolyl γ-and δ-]lactones, microbial approach 107
Thienyl, p-tolyl sulfoxides, synthesis 857
Thromboxane A_2 antagonist S-1452, synthesis 1205
Tolualdehyde-Cr-tricarbonyls ynthesis enantiomerically pure halostachine analog 287
Toluene, enantiospecific synthesis C-methylazidoinositols, aminocyclitols 1135
Tolylsulfinyl cyclohexanols, Pummerer reaction 251
Tomoxetine, enantiomerically pure, prep 525
Transannular reactions, 12-membered macrocyclic trienol, conformationally controlled 415
Transesterification
lipase catalysed, prep optically active monobutyrate of cis-2,3-epoxybutane-1, 4-diol 1529
lipase using 2,2,2-trifluoroethyl butyrate, effect temp on reaction rate and enatioselectivity 1395
Tricarbonyl(arene) Cr/Ni catalysed enantioselective conjugate addition, diethyl-Zn to chalcone 713
Tricarbonyl(η⁶-o-methoxybenzyl methyl ether)Cr, asymmetric synthesis (R)-(+)-α-methyl-o-methoxybenzyl methyl ether 1303
Trienol, 12-membered macrocyclic, conformationally controlled transannular reactions 415
Trifluoroethyl butyrate, lipase transesterification, effect temp on reaction rate and enantioselectivity 1395

V
Vinyl acetate, asymmetric hydroformylation using chiral bis(triarylphosphite)-Rh complexes 583
Vinyl carbinols, chiral, synthesis via [2,3-]epoxy alcohols 573
Vinyl-sulfoxides, prep, microbiological and chemical asymmetric oxidation of sulfides 629
Vinylketenimine complexes, nucleophilic addition, asymmetric synthesis C-quaternary centers 143

X
X-ray
(4R,5R)-[α,α,α′,α′-2,2-]4,5-dimethanol 1,3-dioxolane 1591
complex (S), (S,S)-(+)589[PtCl(PHMePh)1,2-C_6H_4(PMePh)$_2$]PF_6.CH_2Cl_2
resolution 1227
structure chiroptical properties Rh_2[camphanate]$_4$(MeOH)$_2$ crystalline inclusion compd dihydro[9,10]-ethanoanthracene-dicarboxylic acid and acetic acid 1555
Y
Yeast, reduction keto group activated by cyclopropane unit 1165

resolution potential,
reduction β-keto amides
using 1-phenylethylamine
281

Z
ZK118182, biologically
active PGD_2 analog
synthesis 1525

Author Index 1992

Abe H. see Fuji K. 609
Abe Y. see Sato M. 313
Abiko Y. see Sato M. 1157
Abrams S. R. see Rose P. A. 443
Achiwa K. see Ebiike H. 1153
Achiwa K. see Yoshikawa K. 13
Ader U. and Schneider M. P. Enzyme assisted preparation of enantiomerically pure β-adrenergic blockers—I. A facile screening method for suitable biocatalysts 201
Ader U. and Schneider M. P. Enzyme assisted preparation of enantiomerically pure β-adrenergic blockers—II. Building blocks of high optical purity and their synthetic conversion 205
Ader U. and Schneider M. P. Enzyme assisted preparation of enantiomerically pure β-adrenergic blockers—III. Optically active chlorohydrin derivatives and their conversion 521
Adib A. see Solladié-Cavallo A. 1597
Adovasio V. see Saba A. 1573
Ahuja J. R. see Sonawane H. R. 163
Aigbirhio F. Pike V. W. Francotte E. Waters S. L. Banfield B. Jaeggi K. A. and Drake A. *S*-[1-(2,3-Diaminophenoxy)]-3'-(*N*-*t*-butylamino)propan-2'-ol—simplified asymmetric synthesis with CD and chiral HPLC analysis 539
Aiqiao M. see ShengJian L. 1467
Akutsu N. see Takeshita M. 1369
Akutsu N. see Takeshita M. 1381
Alcock N. W. Brown J. M. Pearson M. and Woodward S. Synthesis and easy racemisation of an atropisomerically chiral phosphinamine 17
Almeida J. F. Anaya J. Martin N. Grande M. Moran J. R. and Caballero Mª C. New enantioselective synthesis of 4-hydroxy-2-oxopyrrolidine-N-acetamide (oxiracetam) from malic acid 1431
Alonso-Alija C. see Irurre J. 1591
Alper H. see Goldberg Y. 1055
Alper H. see Krasik P. 1283
Alphand V. and Furstoss R. Microbiological transformations—XXIII. A surprising regioselectivity of microbiological Baeyer–Villiger oxidations of menthone and dihydrocarvone 379
Alvarez-Larena A. see Irurre J. 1591
Alvik T. see Partali V. 65
Anaya J. see Almeida J. F. 1431
Andersen C. see Hudlicky T. 281
Anthonsen T. see Partali V. 65
Aplin R. T. see Sewald N. 953
Arai Y. Kontani T. and Koizumi T. Synthesis of (+)-elaeokanine A and (+)-elaeokanine C based upon a novel approach involving diastereoselective, nucleophilic addition to *N*-acyliminium ion and retro Diels–Alder reaction 535
Archelas A. see Zhang X.-M. 1373
Arnone A. Bravo P. Cavicchio G. Frigerio M. and Viani F. Synthesis of optically pure fluoro- and *gem*-chlorofluoro-cyclohexane derivatives by intramolecular trapping of dihaloalkyl radicals 9
Avenoza A. Bueno M. P. Cativiela C. and Mayoral J. A. Asymmetric synthesis of *exo*-norbornane-2-carboxylic acids 343
Avenoza A. Cativiela C. Mayoral J. A. and Peregrina J. M. Reaction of 2,3-dimethyl-1,3-butadiene with chiral (*E*)-2-cyanocinnamates 913
Aversa M. C. Bonaccorsi P. Giannetto P. Jafari S. M. A. and Jones D. N. Homochiral 1-methoxy-3-sulfinyl-1,3-butadienes derived from 10-mercaptoisoborneol 701
Awano K. see Yoshikawa K. 13

Bader A. Salem G. Willis A. C. and Wild S. B. Resolutions involving metal complexation. Otical resolution of (±)-methylphenylphosphine in the complex [(*S*),(*S*,*S*)]-(+)589-[PtCl(PHMePh)(1,2-C_6H_4(PMePh)$_2$)]PF_6·CH_2Cl_2 1227
Bagrjanskaja I. Y. see Tkachev A. V. 1165
Bailey P. D. Brown G. R. Korber F. Reed A. and Wilson R. D. Corrigendum 161
Banba Y. see Takahata H. 999
Bandoh H. see Takahata H. 607
Banerji A. A. see Bevinakatti H. S. 1505
Banfield B. see Aigbirhio F. 539
Bar N. see Seemayer R. 1123
Barbe B. see Garbay-Jaureguiberry C. 637
Bartoli G. Cimarelli C. Palmieri G. and Rafaiani G. Stereoselective carbon–carbon bond formation: γ-alkylation of lithium dianion of chiral cyclic β-enamino ketones 719
Barton D. L. Press J. B. Hajos Z. G. and Sawyers R. A. Preparation of positive

inotropes using glycidyl derivatives: influence of metal ions and solvent on stereochemical outcome 1189
Baschang G. and Inderbitzin W. The enantiomers of 1β-adenyl-2α-hydroxy-3β-hydroxymethyl-cyclobutane 193
Battistel E. see Carrea G. 1063
Baudouin S. see Touet J. 587
Beckett R. P. Davies S. G. and Mortlock A. A. Asymmetric synthesis of (1*R*,8*S*)- and (1*S*,8*S*)-1-hydroxypyrrolizidin-3-ones via the aldol reaction between N-Boc-(*S*)-prolinal and chiral acetate enolate equivalents derived from (*S*)- and (*R*)-$[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)COCH_3]$ 123
Beerli R. see Dobler M. 1411
Behnen W. see Martens J. 347
Belaud C. see Dembélé Y. A. 351
Belaud C. see Dembélé Y. A. 511
Bellamy F. D. Bondoux M. Boubia B. Dodey P. and Mioskowski C. Enantioselective synthesis of four isomeric building blocks useful in the synthesis of 2-nor-leukotriene analogues 355
Bellur N. S. see Sonawane H. R. 163
Berova N. Christoskova S. Ivanov P. Kurtev B. Simova E. Snatzke G. and Krüger C. Circular dichroism and absolute configuration of chiral phenyl-phenyl-amino-methanes 651
Bevinakatti H. S. Banerji A. A. Newadkar R. V. and Mokashi A. A. Enzymatic synthesis of optically active amino acids. Effect of solvent on the enantioselectivity of lipase-catalysed ring-opening of oxazolin-5-ones 1505
Bianchi D. see Carrea G. 1063
Blanco J. M. Caamaño O. Fernández F. Gómez G. and López C. A useful synthesis of chiral sulfonyl cyanides: (1*S*,2*S*,5*R*)-2-isopropyl-5-methylcyclohexanesulfonyl cyanide 749
Bloch R. and Brillet C. Remote asymmetric induction. Stereo- and enantioselective synthesis of symmetrical and unsymmetrical 1,4-diols 333
Bonaccorsi P. see Aversa M. C. 701
Bondoux M. see Bellamy F. D. 355
Bonini C. Pucci P. Racioppi R. and Viggiani L. Enzyme catalysed lactonization of 3,5 dihydroxy esters: enantioselective synthesis of naturally occurring 3-hydroxy-5-decanolide, (-)-massoialactone, and 3-hydroxy-5-icosanolide 29
Börner A. see Ward J. 849
Boros E. E. see Hudlicky T. 217
Borschberg H.-J. see Dobler M. 1411
Borschberg H.-J. see Güller R. 1197
Boubia B. see Bellamy F. D. 355
Brandi A. see Goti A. 671
Bravo P. see Arnone A. 9
Brillet C. see Bloch R. 333
Brown E. Lézé A. and Touet J. Preparative syntheses of optically pure *ortho*-substituted benzhydrols by asymmetric reductions of the corresponding benzophenones 841
Brown E. see Touet J. 587
Brown G. R. see Bailey P. D. 161
Brown J. D. Asymmetric synthesis of naproxen via a pinacol-type reaction 1551
Brown J. M. Leppard S. W. and Lloyd-Jones G. C. A rapid assay for the enantiomeric purity of secondary alcohols using 4*S*,5*R*-4-methyl,5-phenyl-1,3,2-oxazaborolidine (ephedrineborane) 261
Brown J. M. see Alcock N. W. 17
Brunel J.-M. Pardigon O. Maffei M. and Buono G. The use of (4*R*,5*R*)-dicarboalkoxy 2-chloro 1,3,2-dioxaphospholanes as new chiral derivatizing agents for the determination of enantiomeric purity of alcohols by ^{31}P NMR 1243
Brussee J. see Zandbergen P. 769
Buchbauer G. Spreitzer H. Swatonek H. and Wolschann P. Absolute configuration and odour analysis of the enantiomeric tert.-butylbicyclo[4.4.0]decan-3-ols 197
Bueno A. B. Carreño M. C. García Ruano J. L. and Rubio A. Behaviour of 2-*p*-tolylsulfinyl cyclohexanols under the Pummerer reaction conditions 251
Bueno M. P. see Avenoza A. 343
Buono G. see Brunel J.-M. 1243
Burgess V. A. Davies S. G. Skerlj R. T. and Whittaker M. Chiral organometallic NADH mimics: highly stereoselective reductions of ethyl benzoylformate with a 1,4-dihydronicotinoyl fragment attached to the homochiral auxiliary $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)]$ and possessing a homochiral β-hydroxy-carboxamide at C-5 871
Butsugan Y. see Kawai M. 1019

Caamaño O. see Blanco J. M. 749
Caballero Mª C. see Almeida J. F. 1431
Caliant D. Coussens B. van der Maten T. de Vries G. J. and de Vries N. K. NMR Measurements and semi-empirical calculations in a first approach to elucidate the mechanism of enantioselective cyanohydrin formation catalysed by cyclo-(*S*)-Phe-(*S*)-His 401
Carda M. González F. Rodríguez S. and Marco J. A. Diastereoselective synthesis of enantiomeric tertiary alcohols via nucleophilic additions to protected D- and L-erythrulose derivatives 1511
Carless H. A. J. The use of cyclohexa-3,5-diene-1,2-diols in enantiospecific synthesis 795
Carless H. A. J. and Malik S. S. Enantiospecific synthesis of *C*-methyl azidoinositols and aminocyclitols from toluene 1135
Carrea G. Danieli B. Palmisano G. Riva S. and Santagostino M. Lipase-mediated resolution of 2-cyclohexen-1-ols as chiral building blocks en route to eburnane alkaloids 775
Carrea G. Redigolo B. Riva S. Colonna S. Gaggero N. Battistel E. and Bianchi D. Effects of substrate structure on the enantioselectivity and stereochemical course of sulfoxidation catalyzed by cyclohexanone monooxygenase 1063
Carrea G. see Colonna S. 95
Carrea G. see Secundo F. 267
Carreño M. C. see Bueno A. B. 251
Casas R. and Ortuño R. M. Enantioselective production of homochiral (+)-(1*R*,2*S*,3*S*,4*S*)- and (–)-(1*S*,2*R*,3*R*,4*R*)-bicyclo(2.2.1)heptane-2,3-dicarboxylic acid, 2-methyl esters. Formal synthesis of the TXA_2 antagonist S-1452 1205
Casella L. see Colonna S. 95

Casiraghi G. see Rassu G. 1035
Castro B. see Pugnière M. 1015
Cativiela C. Diaz-de-Villegas M. D. and Galvez J. A. Efficient asymmetric synthesis of amino acids through hydrogenation of the didehydroamino acid residue in cyclic imino-ester derivatives 567
Cativiela C. Diaz-de-Villegas M. D. and Galvez J. A. Synthesis of (*R*)- and (*S*)-3-benzyl-3-methyl-2-azetidinone in enantio-merically pure form 1141
Cativiela C. see Avenoza A. 343
Cativiela C. see Avenoza A. 913
Cavelier-Frontin F. Daunis J. and Jacquier R. New diastereoselective synthesis of protected *meso*-lanthionine with discrimination of the chiral centers 85
Cavicchio G. see Arnone A. 9
Célérier J. P. see Fleurant A. 695
Chassaing G. see Josien H. 1351
Chelucci G. and Soccolini F. Diastereoisomeric pure 2-(1-hydroxyalkyl)pyridines as catalysts in the enantioselective addition of diethylzinc to aldehydes 1235
Chen Z. and Ortuño R. M. Lewis acid catalyzed Diels–Alder additions of cyclopentadiene to methyl (*E*)- and (*Z*)-(*S*)-4,5-di-*O*-isopropylidenepent-2-enoates: rate and stereoselectivity 621
Chênevert R. and Dickman M. Enzyme-catalysed hydrolysis of *N*-benzyloxycarbonyl-*cis*-2,6-(acetoxymethyl)piperidine. A facile route to optically active piperidines 1021
Chênevert R. and Martin R. Enantioselective synthesis of (+) and (–)-*cis*-3-aminocyclo pentanecarboxylic acids by enzymatic asymmetrization 199
Cho B. T. and Chun Y. S. Enantioselective synthesis of optically active secondary amines via asymmetric reduction 1583
Cho B. T. and Chun Y. S. New chiral borohydrides–III. Preparation and asymmetric reducing properties of potassium 9-*O*-(1,2-isopropylidene-5-deoxy-α-D-xylofuranosyl)-9-boratabicyclo[3.3.1]nonane 73
Cho B. T. and Chun Y. S. Enantioselective synthesis of optically active metolachlor via asymmetric reduction 337
Cho B. T. and Chun Y. S. Enantioselective synthesis of optically active β-aminoalcohols via asymmetric reduction 341
Cho D.-G. see Kang S.-K. 1509
Chool S. Y. M. Leung P. Lim C. C. Mok K. F. Quek G. H. Sim K. Y. and Tan M. K. Versatile chiral palladium(II) complexes for enantiomeric purities of 1,2-diamines 529
Christoskova S. see Berova N. 651
Chun Y. S. see Cho B. T. 73
Chun Y. S. see Cho B. T. 337
Chun Y. S. see Cho B. T. 341
Chun Y. S. see Cho B. T. 1539
Chun Y. S. see Cho B. T. 1583
Cicchi S. see Goti A. 671
Cimarelli C. see Bartoli G. 719
Cohen M. A. Parratt J. S. and Turner N. J. Enantioselective hydrolysis of nitriles and amides using an immobilised whole cell system 1543
Collet A. see Garcia C. 361
Colonna S. Gaggero N. Casella L. Carrea G. and Pasta P. Chloroperoxidase and hydrogen peroxide: an efficient system for enzymatic enantioselective sulfoxidations 95
Colonna S. see Carrea G. 1063
Colonna S. see Solladié-Cavallo A. 287
Contreras R. see Tlahuext H. 1145
Contreras R. see Tlahuext H. 727
Cooper K. see Reeve C. D. 785
Corma A. Iglesias M. Martín M. V. Rubio J. and Sánchez F. Conjugate addition of diethylzinc to enones catalyzed by homogeneous and supported chiral Ni-complexes. Cooperative effect of the support on enantioselectivity 845
Corradini R. Fava G. G. Ferrari M. B. Dossena A. Marchelli R. and Pelosi G. The effect of N^2-mono- and dimethylation on the crystal structures of bis[(*S*)-phenylalaninamidato]copper(II) complexes 387
Corruble A. see Maddaluno J. 1239
Coussens B. see Callant D. 401
Crosby J. A. Parratt J. S. and Turner N. J. Enzymic hydrolysis of prochiral dinitriles 1547
Crout D. H. G. see Reeve C. D. 785
Csöregh I. Gallardo O. Weber E. Finge S. and Reutel C. The unusual structure of the crystalline inclusion compound between (11*S*,12*S*)-(–)-9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboxylic acid and acetic acid 1555
Cunningham D. see Malézieux B. 375

d'Angelo J. Desmaële D. Dumas F. and Guingant A. The asymmetric Michael addition reactions using chiral imines 459
d'Angelo J. see Desmaële D. 863
d'Angelo J. see Desmaële D. 867
d'Angelo J. see Pinheiro S. 1003
Daeppen R. see Farooq S. 51
Damayanthi Y. see Kamal A. 1361
Danieli B. see Carrea G. 775
Daueisberg Ch. see Martens J. 347
Daunis J. see Cavelier-Frontin F. 85
Dauphin G. Gourcy J.-G. and Veschambre H. Microbiological synthesis of optically active (2*R*,3*S*)-2,3-deuteriocyclo-hexan-1-ones and (2*R*,3*S*)-2-methyl-3-deuteriocyclohexan-1-one. Enantiospecific *anti*-addition of hydrogen to the double bond of cyclohex-2-en-1-ones 595
Davies S. G. Goodfellow C. L. and Sutton K. H. Asymmetric synthesis of (*R*)-(+)-α-methyl-*o*-methoxybenzyl methyl ether via the stereoselective benzylic elaboration of tricarbonyl (η^6-*o*-methyoxybenzyl methyl ether)chromium(0) 1303
Davies S. G. see Beckett R. P. 123
Davies S. G. see Burgess V. A. 871
Davis F. A. see Rossi C. 629
Dawkins D. and Jenkins P. R. (1*R*)-Menthoxymethyl ether, a chiral OH protecting group and its use in the measurement of enantiomeric excess 833
DeCian A. see Solladié-Cavallo A. 287
DeCian A. see Solladié-Cavallo A. 1597
De Clercq P. J. see Steels I. 599
Declercq J. P. see Steels I. 599
Delogu G. see Maglioli P. 365
De Lucchi O. see Maglioli P. 365

Dembélé Y. A. Belaud C. Hitchcock P. and Villiéras J. Stereocontrolled addition of organozinc reagents derived from 2-(bromomethyl)acrylates to chiral imines 351
Dembélé Y. A. Belaud C. and Villiéras J. Stereocontrolled preparation of chiral secondary α-methylene γ-lactams by addition of organozinc reagents derived from 2-(bromomethyl) acrylates to imines using β-aminoalcohols as chiral auxiliaries 511
Desmaële D. Pain G. and d'Angelo J. Enantioselective synthesis of 2,2-dialkyltetra hydropyran-3-ones via the asymmetric Michael addition reaction using chiral imines 863
Desmaële D. Pain G. and d'Angelo J. Asymmetric synthesis of *trans*-fused octahydro pyrano-pyran subunits related to marine polyether toxins 867
Desmaële D. see d'Angelo J. 459
Desmaële D. see Pinheiro S. 1003
de Vries J. G. see Callant D. 401
de Vries J. G. see Lensink C. 235
de Vries N. K. see Callant D. 401
Diaz-de-Villegas M. D. see Cativiela C. 567
Diaz-de-Villegas M. D. see Cativiela C. 1141
Dickman M. see Chênevert R. 1021
Döbler C. see Krause H.-W. 555
Dobler M. Beerli R. Weissmahr W. K. and Borschberg H.-J. Synthesis of *Aristotelia*-type alkaloids—XI. Total syntheses of (+)-sorelline and (+)-aristolasene 1411
Dodey P. see Bellamy F. D. 355
Dodziuk H. Chirality and stereogenicity: the importance of conformational chirality in the classification of stereoisomers 43
Domergue N. see Pugnière M. 1015
Dossena A. see Corradini R. 387
Doussot J. see Guy A. 247
Drabowicz J. Dudzinski B. and Mikołajczyk M. Chiral *t*-butylphenylphosphinothioic acid: a new NMR solvating agent for determination of enantiomeric excesses of sulfoxides 1231
Drake A. see Aigbirhio F. 539
Drewes S. E. Emslie N. D. Field J. S. Khan A. A. and Ramesar N. Synthesis, resolution and assignment of absolute configuration of 2-(α-hydroxy)aryl acrylate esters 255
Drewes S. E. Malissar D. G. S. and Roos G. H. P. A novel imidazolidin-2-one auxiliary for a highly stereoselective aldol route to β-hydroxyesters 515
Duddeck H. Frelek J. Krüger C. Snatzke G. Szczepek W. J. Wagner P. and Werner S. Spectroscopic properties of 6-hydroximino-5β-cholestane derivatives 613
Dudzinski B. see Drabowicz J. 1231
Duhamel P. see Maddaluno J. 1239
Dumas F. see d'Angelo J. 459

Ebert C. Ferluga G. Gardossi L. Gianferrara T. and Linda P. Improved lipase-mediated resolution of mandelic acid esters by multi-variate investigation of experimental factors 903
Eblike H. Maruyama K. and Achiwa K. Enzymatic synthesis of optically active 2-carbamoyl-oxymethyl-1,4-dihydropyridines, (*R*)-(+)- and (*S*)-(−)-NB 818 1153
Eguchi M. see Rossiter B. E. 231
El Hafa H. see Howell J. A. S. 1355
Emslie N. D. see Drewes S. E. 255
Exl C. Hönig H. Renner G. Rogl-Kohlenprath R. Seebauer V. and Seufer-Wasserthal P. How large are the active sites of the lipases from *Candida rugosa* and from *Pseudomonas cepacia*? 1391

Fantin G. Fogagnolo M. Guerzoni M. E. Marotta E. Medici A. and Pedrini P. Microbial and enzymatic approaches to chiral β- and γ-nitro alcohols 947
Fantin G. Fogagnolo M. Medici A. Pedrini P. Poli S. Gardini F. and Guerzoni M. E. Microbial approach to chiral 2-thiazolyl γ- and δ-lactones 107
Farnetti E. see Spogliarich R. 1001
Farooq S. Swain, Jr W. E. Daeppen R. and Rihs G. Synthesis and configurational assignment of an unusual bicyclic amino acid 51
Fauve A. see Rossi C. 629
Fava G. G. see Corradini R. 387
Fava G. G. see Rassu G. 1035
Feringa B. L. see Jansen J. F. G. A. 581
Ferluga G. see Ebert C. 903
Fernández F. see Blanco J. M. 749
Ferrari M. B. see Corradini R. 387
Ferrari M. B. see Rassu G. 1035
Ficheux D. see Garbay-Jaureguiberry C. 637
Field J. S. see Drewes S. E. 255
Finge S. see Csöregh I. 1555
Fischer J. see Solladié-Cavallo A. 287
Fischer J. see Solladié-Cavallo A. 1597
Fleurant A. Célérier J. P. and Lhommet G. Enantioselective synthesis of (5*R*,9*R*)-5-propyl-octahydroindolizine [(−)-gephyrotoxin 167B] 695
Fogagnolo M. see Fantin G. 107
Fogagnolo M. see Fantin G. 947
Foricher J. see Wirz B. 137
Frahm A. W. see Schlichter W. H. 329
Francotte E. see Aigbirhio F. 539
Fray M. J. see Reeve C. D. 785
Frelek J. see Duddeck H. 613
Frigerio M. see Arnone A. 9
Frost C. G. Howarth J. and Williams J. M. J. Selectivity in palladium catalysed allylic substitution 1089
Fuganti C. Rosell C. M. Servi S. Tagliani A. and Terreni M. Enantioselective recognition of the phenacetyl moiety in the pen G acylase catalysed hydrolysis of phenylacetate esters 383
Fuji K. Tanaka K. Abe H. Matsumoto K. Taga T. and Miwa Y. Diastereoselective Diels–Alder reactions with chiral sulfinyl derivatives as dienophiles under high pressure 609
Fulwood R. and Parker D. A chiral solvating agent for direct NMR assay of the enantiomeric purity of carboxylic acids 25
Furstoss R. see Alphand V. 379
Furstoss R. see Zhang X.-M. 1373

Gaggero N. see Carrea G. 1063
Gaggero N. see Colonna S. 95
Gallardo O. see Csöregh I. 1555
Galvez J. A. see Cativiela C. 567
Galvez J. A. see Cativiela C. 1141
Garbay-Jaureguiberry C. McCort-Tranchepain I. Barbe B. Ficheux D. and Roques B. P. Improved synthesis of [*p*-phosphono and *p*-sulfo] methylphenylalanine. Resolution of [*p*-phosphono-, *p*-sulfo-, *p*-carboxy- and *p*-N-hydroxy-carboxamido-]methyl-phenylalanine 637
Garcia C. and Collet A. New optical resolution method based on the formation of a solid solution. Optical resolution of racemic 1-(4-methylthiophenyl)-2-phenylpropan-1-one by co-crystallization with (+)-1-(4-methoxyphenyl)-2-phenylpropan-1-one 361
García M. J. Rebolledo F. and Gotor V. Enzymatic synthesis of 3-hydroxybutyramides and their conversion to optically active 1,3-aminoalcohols 1519
García Ruano J. L. see Bueno A. B. 251
Gardini F. see Fantin G. 107
Gardossi L. see Ebert C. 903
Garreau R. see Guy A. 247
Gatilov Y. V. see Tkachev A. V. 1165
Gehrcke B. see Pietruszka J. 661
Ghiatou N. see Solladié G. 33
Gianferrara T. see Ebert C. 903
Giannetto P. see Aversa M. C. 701
Gillman G. see Hudlicky T. 281
Girodier L. Maignan C. and Rouessac F. Syntheses of enantiomerically pure furyl and thienyl *p*-tolyl sulfoxides 857
Godefroy-Falguieres A. see Guy A. 247
Goergens U. and Schneider M. P. A facile enzyme assisted route to enantiomerically pure δ-lactones 831
Goergens U. and Schneider M. P. Lipase catalyzed resolution of 1-*t*-butylthio-2-alkanols: enzyme mediated routes to enantiomerically pure 1,2-epoxyalkanes and 2-alkanols 1149
Goergens U. see Schneider M. P. 525
Goldberg Y. and Alper H. Asymmetric hydrosilylation of prochiral ketones catalyzed by Rh(I) complexes and (–)-sparteine 1055
Gómez G. see Blanco J. M. 749
González F. see Carda M. 1511
Goodfellow C. L. see Davies S. G. 1303
Goti A. Cicchi S. Brandi A. and Pietrusiewicz K. M. Corrigendum 671
Gotor V. see García M. J. 1519
Gourcy J.-G. see Dauphin G. 595
Grande M. see Almeida J. F. 1431
Graziani M. see Spogliarich R. 1001
Gu J.-X. Li Z.-Y. and Lin G.-Q. A microbial synthesis of *R* and *S*-9-hydroxy-(*E*)-2-decenoic acid (9-HDA), a queen honeybee pheromone 1523
Guerzoni M. E. see Fantin G. 107
Guerzoni M. E. see Fantin G. 947
Guingant A. see d'Angelo J. 459
Guingant A. see Pinheiro S. 1003
Gulati N. V. see Spogliarich R. 1001
Güller R. and Borschberg H.-J. Synthesis of *Aristotelia*-type alkaloids—X. Biomimetic transformation of synthetic (±)-aristoteline into (–)-alloaristoteline 1197
Gupta A. K. and Kazlauskas R. J. Calibration plots to aid determination of high enantiomeric purity using chiral lanthanide shift reagents 243
Gupta S. see Parmar V. S. 1395
Gurjar M. K. and Mainkar A. S. Catalytic osmylation of allyl D-glucopyranoside 21
Gurjar M. K. see Rama Rao A. V. 859
Guy A. Doussot J. Garreau R. and Godefroy-Falguieres A. Selective ring-opening reaction of styrene oxide with lithium azide in the presence of cyclodextrins in aqueous media 247

Hajos Z. G. see Barton D. L. 1189
Hamada Y. see Matsuura F. 1069
Hamann H.-J. see Höft E. 507
Hammadi A. Nuzillard J. M. Poulin J. C. and Kagan H. B. Diastereoselective hydrogenation of monodehydro enkephalins controlled by chiral rhodium catalysts 1247
Hamon D. P. G. Holman J. W. and Massy-Westropp R. A. Reactions of a new optically active arylperhydronaphthalenol based chiral auxiliary 1533
Hanaoka M. see Mukai C. 1007
Hanayama M. see Takahata H. 607
Harris P. A. see Katritzky A. R. 437
Harwood L. M. Macro J. Watkin D. Williams C. E. and Wong L. F. Asymmetric cycloadditions of aldehydes to stabilised azomethine ylids: enantiocontrolled construction of β-hydroxy-α-amino acid derivatives 1127
Hayashi T. see Uemura M. 213
Hayashi Y. see Uemura M. 713
Heisler A. see Rabiller C. 685
Heisler A. see Vialletelle V. 673
Hénin F. and Muzart J. Palladium-catalyzed cleavage of prochiral enol carbonates: enantioselective ketonisation of resulting enols 1161
Herdeis C. and Hubmann H. P. Synthesis of homochiral *R*-Baclofen from *S*-glutamic acid 1213
Hernández A. E. see Rossiter B. E. 231
Herradón B. Lipase catalyzed kinetic resolution of (±)-*cis*-4-hydroxymethyl-2-phenyl-1,3-dioxane 209
Heumann A. see Mazón A. 1455
Higashikawa M. see Yanada R. 1387
Hino T. see Kawate T. 227
Hirose Y. see Soai K. 677
Hitchcock P. see Dembélé Y. A. 351
Hiyoshi H. see Takabe K. 1399
Hochmuth D. H. see Pietruszka J. 661
Höft E. Hamann H.-J. Kunath A. and Rüffer L. Kinetic resolution of 1-methyl-1-phenylpropyl hydroperoxide via Sharpless epoxidation 507
Holman J. W. see Hamon D. P. G. 1533
Holmes A. B. Nadin A. O'Hanlon P. J. and Pearson N. D. Synthesis of optically active α-phenylselenyl carbonyl derivatives 1289
Hönig H. see Exl C. 1391
Howarth J. see Frost C. G. 1089
Howell J. A. S. Palin M. G. El Hafa H. Top S. and Jaouen G. Biochemical resolution and generation of planar chirality in formyl substituted (diene)$Fe(CO)_3$ complexes 1355

Howell J. A. S. see Malézieux B. 375
Hubmann H. P. see Herdeis C. 1213
Hudlicky T. Gillman G. and Andersen C. Homochiral amine synthesis by baker's yeast resolution of a β-keto amide: 1-phenylethylamine 281
Hudlicky T. and Boros E. E. Palladium-catalyzed coupling of terminal alkynes to the free *cis*-diol metabolite produced from the oxidation of bromobenzene by *Pseudomonas putida*: synthesis of new homochiral 3-alkynyl *cis*-cyclohexa-3,5-diene-1,2-diols 217
Huuhtanen T. T. and Kanerva L. T. Enzyme-catalysed synthesis of optically active aliphatic cyanohydrins 1223

Icheln D. see Pietruszka J. 661
Iglesias M. see Corma A. 845
Inagaki S. see Naruse Y. 603
Inderbitzin W. see Baschang G. 193
Irurre J. Alonso-Alija C. Piniella J. F. and Alvarez-Larena A. Synthesis and structure of (4*R*,5*R*)-α,α,α',α'-2,2-hexaphenyl-4,5-dimethanol-1,3-dioxolane 1591
Itoh K. see Nishiyama H. 1029
Iuliano A. see Pini D. 693
Ivanov P. see Berova N. 651
Iwaoka T. Murohashi T. Sato M. and Kaneko C. A novel enantioselective preparation of α-fluoro-β-keto acids 1025

Jackson W. R. see Kim H. J. 1421
Jacobson R. A. see Seo B.-I. 367
Jacquier R. see Cavelier-Frontin F. 85
Jaeggi K. A. see Aigbirhio F. 539
Jafari S. M. A. see Aversa M. C. 701
Jansen J. F. G. A. and Feringa B. L. Catalytic enantioselective conjugate addition of diethylzinc using Ni^{II}–DAIB complexes 581
Jaouen G. see Howell J. A. S. 1355
Jaouen G. see Malézieux B. 375
Jenkins P. R. see Dawkins D. 833
Jensen K. N. and Roos G. H. P. Imidazolidin-2-ones as practical, efficient chiral auxiliaries in Diels–Alder reactions 1553
Jensen W. P. see Seo B.-I. 367
Jeon J.-H. see Kang S.-K. 705
Jommi G. Miglierini G. Pagliarin R. Sello G. and Sisti M. Asymmetric synthesis of diethyl α-amino-α-alkyl-phosphonates by alkylation of chiral phosphonoglycine equivalents: role of chelating effects 1131
Jones D. N. see Aversa M. C. 701
Jones D. M. see Pelter A. 239
Josien H. and Chassaing G. Asymmetric synthesis of the diastereoisomers of L-1-indanylglycine and L-1-benz[*f*]indanylglycine, χ_1-χ_2-constrained side-chain derivatives of L-phenylalanine and L-2-naphthylalanine 1351
Juaristi E. and Quintana D. Preparation and assignment of configuration of 1-benzoyl-(2*S*)-*tert*-butyl-3-methyl-perhydropyrimidin-4-one. Useful starting material for the enantioselective synthesis of α-substituted β-amino acids 723

Kabuto K. Sasaki K. and Sasaki Y. Absolute configuration of aldonic acids and lanthanoid induced shift by the chiral shift reagent propylenediaminetetraacetato europium(III) in aqueous solution 1357
Kagan H. B. see Ronan B. 115
Kagan H. B. see Hammadi A. 1247
Kagan H. B. see Ward J. 849
Kaiwar V. see Rama Rao A. V. 859
Kakikawa T. see Kawate T. 227
Kakinoki O. see Tanaka K. 517
Kamal A. Damayanthi Y. and Rao M. V. Stereoselective synthesis of (*S*)-propanol amines: lipase catalyzed opening of epoxides with 2-propylamine 1361
Kamikubo T. see Takano S. 853
Kaneko C. see Iwaoka T. 1025
Kaneko C. see Sato M. 313
Kaneko C. see Sato M. 1157
Kanerva L. T. see Huuhtanen T. T. 1223
Kanerva L. T. see Vänttinen E. 1529
Kang S.-K. Kim S.-G. and Cho D.-G. Synthesis of α-allenic alcohols from propargylic cyclic carbonates and sulfites 1509
Kang S.-K. Kim S.-G. and Lee J.-S. Neutral alkylation of chiral allylic cyclic carbonates catalyzed by palladium complex 1139
Kang S.-K. Park Y.-W. Lee D.-H. Sim H.-S. and Jeon J.-H. Addition of organocopper reagents to cyclic sulfites or carbonates of γ,δ-dihydroxy (*E*)-α,β-enoates 705
Katagiri T. see Takabe K. 1399
Katayama S. see Okamoto S. 1525
Katritzky A. R. and Harris P. A. Enantioselective ethylation of *N*-(amidobenzyl)benzotriazoles catalysed by chiral aminoalcohols 437
Kawai M. Omori Y. Yamamura H. and Butsugan Y. Optical resolution of *N*-carbobenzoxy-α-methoxyglycine 1019
Kawate T. Nakagawa M. Kakikawa T. and Hino T. Asymmetric reduction of imines with chiral dialkoxyboranes 227
Kayser F. see Reetz M. T. 1377
Kazlauskas R. J. see Gupta A. K. 243
Kelly S. E. and LaCour T. G. An efficient synthesis of (*S*)-2-hexylthiodecanoic acid 715
Khan A. A. see Drewes S. E. 255
Khan N. H. see Taqui Khan M. M. 307
Kim H. J. and Jackson W. R. Polymer attached cyclic dipeptides as catalysts for enantioselective cyanohydrin formation 1421
Kim I. J. see Mukai C. 1007
Kim S.-G. see Kang S.-K. 1139
Kim S.-G. see Kang S.-K. 1509
Kobayashi Y. see Shiozaki M. 451
Koizumi T. see Arai Y. 535
Kojic-Prodic B. Marcec R. Nigovic B. Raza Z. and Šunjic V. Preparation, crystal structure and chiroptical properties of $Rh_2[camphanate]_4\ (MeOH)_2$ 1
Kollar L. Wada T. and Lautens M. Corrigendum 1087
Kollár L. Wada T. and Lautens M. Asymmetric hydroformylation of deltacyclene 1011
König W. A. see Pietruszka J. 661
Kontani T. see Arai Y. 535
Korber F. see Bailey P. D. 161
Krasik P. and Alper H. The ruthenium catalyzed asymmetric hydrogenation of oximes using binap as the chiral ligand 1283

Krause H.-W. Kreuzfeld H.-J. Döbler C. and Taudien S. Unusual amino acids—II. Asymmetric synthesis of fluorine containing phenylalanines 555
Kreuzfeld H.-J. see Krause H.-W. 555
Krüger C. see Berova N. 651
Krüger C. see Duddeck H. 613
Kruse C. G. see Zandbergen P. 769
Kulkarni D. G. see Sonawane H. R. 163
Kunath A. see Höft E. 507
Kureshy R. I. see Taqui Khan M. M. 307
Kurtev B. see Berova N. 651

LaCour T. G. see Kelly S. E. 715
Lautens M. see Kollár L. 1011
Lautens M. see Kollar L. 1087
Lee D.-H. see Kang S.-K. 705
Lee J.-S. see Kang S.-K. 1139
Lehmann J. and Pieper B. Enantioselective synthesis of (*R*)- and (*S*)-5-dimethylaminomethyl-4,5-dihydro-2(3*H*)-furanone methobromide—constrained analogues of acetylcholine 1537
Lensink C. and de Vries J. G. Improving enantioselectivity by using a mono-sulphonated diphosphine as ligand for homogeneous imine hydrogenation 235
Leppard S. W. see Brown J. M. 261
Leroux V. see Maddaluno J. 1239
Leung P. see Chooi S. Y. M. 529
Levayer F. see Rabiller C. 685
Levayer F. see Vialletolle V. 673
Lewis D. E. see Seo B.-I. 367
Lézé A. see Brown E. 841
Lhommet G. see Fleurant A. 695
Li Z.-Y. see Gu J.-X. 1523
Lim C. C. see Chooi S. Y. M. 529
Lin G.-Q. see Gu J.-X. 1523
Linda P. see Ebert C. 903
Lisowski M. see Wyslouch A. 1401
Lloyd-Jones G. C. see Brown J. M. 261
Lohray B. B. Recent advances in the asymmetric dihydroxylation of alkenes 1317
López C. see Blanco J. M. 749

Macro J. see Harwood L. M. 1127
Maddaluno J. Corruble A. Leroux V. Plé G. and Duhamel P. Handy access to chiral N,N'-disubstituted 3-aminopyrrolidines 1239
Maddocks P. see Pelter A. 239
Madesclaire M. see Rossi C. 629
Maehr H. A tribute to the centennial of the Fischer projection. Display of alkene geometry and axial stereogenicity 735
Maffei M. see Brunel J.-M. 1243
Maglioli P. De Lucchi O. Delogu G. and Valle G. Highly diastereoselective reduction and addition of nucleophiles to binaphthol-protected arylglyoxals 365
Maignan C. see Girodier L. 857
Mainkar A. S. see Gurjar M. K. 21
Malézieux B. Jaouen G. Salaün J. Howell J. A. S. Palin M. G. McArdle P. O'Gara M. and Cunningham D. Enzymatic generation of planar chirality in the (arene) tricarbonylchromium series 375
Malik S. S. see Carless H. A. J. 1135
Malissar D. G. S. see Drewes S. E. 515
Manfredi A. see Solladié-Cavallo A. 287
Marcec R. see Kojic-Prodic B. 1
Marchelli R. see Corradini R. 387
Marco J. A. see Carda M. 1511
Marco-Contelles J. Sánchez B. and Pozuelo C. Synthesis of branched chain cyclitols: preparation of some useful chiral building blocks 689
Marotta E. see Fantin G. 947
Martens J. Dauelsberg Ch. Behnen W. and Wallbaum S. Enantioselective catalytic borane reductions of achiral ketones: syntheses and application of two chiral β-amino alcohols from (*S*)-2-indoline carboxylic acid 347
Martens J. see Stingl K. 223
Martens J. see Wallbaum S. 1475
Martín J. D. see Padrón J. I. 415
Martín M. V. see Corma A. 845
Martin N. see Almeida J. F. 1431
Martin R. see Chênevert R. 199
Martín V. S. Ode J. M. Palazón J. M. and Soler M. A. A new approach to the synthesis of chiral vinyl carbinols from 2,3-epoxy alcohols 573
Maruyama K. see Ebiike H. 1153
Mashima K. see Sakai N. 583
Massy-Westropp R. A. see Hamon D. P. G. 1533
Matsumoto K. see Fuji K. 609
Matsumoto Y. see Uemura M. 213
Matsuno K. see Suemune H. 297
Matsuura F. Hamada Y. and Shioiri T. A synthesis of a γ-azetidinyl-β-hydroxy-α-amino acid derivative, a key intermediate for the synthesis of mugineic acid 1069
Mayoral J. A. see Avenoza A. 343
Mayoral J. A. see Avenoza A. 913
Mazón A. Nájera C. Yus M. and Heumann A. Kinetic resolution of racemic carboxylic acids and alcohols with homochiral alcohols and carboxylic acids, respectively, and the Mukaiyama or Palomo reagents 1455
McArdle P. see Malézieux B. 375
McCort-Tranchepain I. see Garbay-Jaureguiberry C. 637
Medici A. see Fantin G. 107
Medici A. see Fantin G. 947
Mekrami M. and Sicsic S. Enzymatic asymmetric synthesis of *cis*-4-cyclopentene-1,3-dimethanol monoacetate 431
Melbye A. G. see Partali V. 65
Mesbahi M. see Rabiller C. 685
Miao G. see Rossiter B. E. 231
Midura W. H. see Mikolajczyk M. 1515
Miglierini G. see Jommi G. 1131
Mikolajczyk M. and Midura W. H. (+)-(*S*)-α-Diethoxyphosphorylvinyl *p*-tolyl sulfoxide: a new chiral Michael acceptor and dienophile 1515
Mikolajczyk M. see Drabowicz J. 1231
Mioskowski C. see Bellamy F. D. 355
Miwa Y. see Fuji K. 609
Miwa Y. see Yanada R. 1387
Miyake R. see Uemura M. 213
Miyake R. see Uemura M. 713
Miyazaki A. see Takabe K. 1399
Mok K. F. see Chooi S. Y. M. 529
Mokashi A. A. see Bevinakatti H. S. 1505
Momose T. see Takahata H. 607
Momose T. see Takahata H. 999
Moore B. S. see Urban F. J. 731
Morales E. Q. see Padrón J. I. 415
Moran J. R. see Almeida J. F. 1431

Morimoto T. see Yoshikawa K. 13
Moriya M. see Takano S. 681
Morrone R. see Nicolosi G. 753
Mortlock A. A. see Beckett R. P. 123
Mukai C. Kim I. J. and Hanaoka M. An optically active chromium(0)-complexed benzaldehyde in organic synthesis: a highly stereocontrolled asymmetric synthesis of (2*R*,3*S*)-(−)-*N*-benzoyl-3-phenylisoserine methyl ester, the taxol C-13 side chain analogue 1007
Müller G. see Sewald N. 953
Murata M. see Yoshikawa K. 13
Murohashi T. see Iwaoka T. 1025
Muzart J. see Hénin F. 1161

Nadin A. see Holmes A. B. 1289
Naegeli P. and Wirz-Habersack Y. Enantiodifferentiation of odour perception of α-ambrinols 221
Nájera C. see Mazón A. 1455
Nakagawa M. see Kawate T. 227
Nakayama K. see Uemura M. 713
Nanjappan P. Ramalingam K. and Nowotnik D. P. Synthesis of the four stereoisomers of 1-azabicyclo[2.2.2]oct-3-yl-α-hydroxy-α-(4-phenylboronic acid)-α-phenylacetate (QNB-boronic acid), including a preparative HPLC method to separate diastereoisomeric mixtures with high optical purity 1271
Nardelli M. see Saba A. 1573
Naruse Y. Watanabe H. and Inagaki S. A facile access to chiral allenedicarboxylates by deracemization process 603
Nevalainen V. Quantum chemical modeling of chiral catalysis—V. On the role of alkoxyboranes in the catalytic enantioselective reduction of carbonyl compounds by the CBS method 921
Nevalainen V. Quantum chemical modeling of chiral catalysis—VI. On the relative stability of dimers of chiral oxazaborolidines used in the catalytic enantioselective reduction of ketones 933
Nevalainen V. Quantum chemical modeling of chiral catalysis—VII. On the effects controlling the coordination of borane to chiral oxazaborolidines used as catalysts in the enantioselective reduction of ketones 1441
Nevalainen V. Quantum chemical modeling of chiral catalysis—VIII. On the conformational freedom of the ketone of ketone–borane complexes of oxazaborolidines used as catalysts in the enantioselective reduction of ketones 1563
Newadkar R. V. see Bevinakatti H. S. 1505
Nicolosi G. Morrone R. Patti A. and Piattelli M. Lipase mediated desymmetrization of 1,2-bis(hydroxymethyl)ferrocene in organic medium: production of both enantiomers of 2-acetoxymethyl-1-hydroxymethylferrocene 753
Nigovic B. see Kojic-Prodic B. 1
Nilsson C. see Skrinjar M. 1263
Nishimura H. see Uemura M. 213
Nishiyama H. Park S.-B. and Itoh K. Stereoselectivity in hydrosilylative reduction of substituted cyclohexanone derivatives with chiral rhodium-bis(oxazolinyl)pyridine catalyst 1029
Nowotnik D. P. see Nanjappan P. 1271
Nozaki K. see Sakai N. 583
Nuzillard J. M. see Hammadi A. 1247

O'Donnell M. J. and Wu S. A catalytic enantioselective synthesis of α-methyl amino acid derivatives by phase-transfer catalysis 591
O'Gara M. see Malézieux B. 375
O'Hanlon P. J. see Holmes A. B. 1289
Ode J. M. see Martín V. S. 573
Ogasawara K. see Takano S. 533
Ogasawara K. see Takano S. 681
Ogasawara K. see Takano S. 837
Ogasawara K. see Takano S. 853
Ohuchi H. see Sato M. 313
Okamoto S. Katayama S. Ono N. and Sato F. A new efficient synthesis of the biologically potent PGD_2-analogue ZK118182 1525
Omori Y. see Kawai M. 1019
Ono N. see Okamoto S. 1525
Ootani M. see Tanaka K. 709
Ortuño R. M. see Casas R. 1205
Ortuño R. M. see Chen Z. 621
Oshio A. see Soai K. 359

Padrón J. I. Vázquez J. T. Morales E. Q. Zárraga M. and Martín J. D. Conformationally controlled transannular reactions of a 12-membered macrocyclic trienol 415
Pagliarin R. see Jommi G. 1131
Pain G. see Desmaële D. 863
Pain G. see Desmaële D. 867
Palazón J. M. see Martín V. S. 573
Palin M. G. see Howell J. A. S. 1355
Palin M. G. see Malézieux B. 375
Palmieri G. see Bartoli G. 719
Palmisano G. see Carrea G. 775
Pardigon O. see Brunel J.-M. 1243
Park S.-B. see Nishiyama H. 1029
Park Y.-W. see Kang S.-K. 705
Parker D. see Fulwood R. 25
Parmar V. S. Prasad A. K. Singh P. K. and Gupta S. Lipase-catalysed transesterifications using 2,2,2-trifluoroethyl butyrate: effect of temperature on rate of reaction and enantioselectivity 1395
Parratt J. S. see Cohen M. A. 1543
Parratt J. S. see Crosby J. A. 1547
Partali V. Melbye A. G. Alvik T. and Anthonsen T. Enzymatic resolution of 2,2-disubstituted-1,3-dioxolane-4-methanol carboxylic esters 65
Pasta P. see Colonna S. 95
Patterson R. G. see Rossiter B. E. 231
Patti A. see Nicolosi G. 753
Pearson M. see Alcock N. W. 17
Pearson N. D. see Holmes A. B. 1289
Pedrini P. see Fantin G. 107
Pedrini P. see Fantin G. 947
Pedyczak A. see Wyslouch A. 1401
Pelosi G. see Corradini R. 387
Pelosi G. see Rassu G. 1035
Pelter A. Ward R. S. Jones D. M. and Maddocks P. Asymmetric syntheses of lignans of the dibenzylbutyrolactone, dibenzylbutanediol, aryltetralin and dibenzocyclooctadiene series 239
Peregrina J. M. see Avenoza A. 913
Pete J.-P. see Piva O. 759
Piattelli M. see Nicolosi G. 753
Pieper B. see Lehmann J. 1537

Pietrusiewicz K. M. see Goti A. 671
Pietruszka J. Hochmuth D. H. Gehrcke B. Ichein D. Runge T. and König W. A. Gas chromatographic enantio separation of allenes 661
Pike V. W. see Aigbirhio F. 539
Pinheiro S. Guingant A. Desmaële D. and d'Angelo J. Asymmetric Michael addition of chiral enaminoesters to phenyl vinyl sulfone and 1,1-bis(phenylsulfonyl)ethylene 1003
Pini D. Iuliano A. and Salvadori P. Optically active lithium 1,2-diphenyl-1,2-ethanediolate: an efficient chiral auxiliary in the enantioselective hydrosilylation of ketones 693
Piniella J. F. see Irurre J. 1591
Pinna L. see Rassu G. 1035
Piva O. and Pete J.-P. Diacetone D-glucose: efficient chiral building block for asymmetric photodeconjugation 759
Plé G. see Maddaluno J. 1239
Poli S. see Fantin G. 107
Poulin J. C. see Hammadi A. 1247
Pozuelo C. see Marco-Contelles J. 689
Prasad A. K. see Parmar V. S. 1395
Press J. B. see Barton D L. 1189
Previero A. see Pugnière M. 1015
Pucci P. see Bonini C. 29
Pugnière M. Castro B. Domergue N. and Previero A. Enzymatic synthesis of side chain benzyl esters of L-α-amino dicarboxylic acids 1015

Quazzotti S. see Solladié-Cavallo A. 39
Quazzotti S. see Solladié-Cavallo A. 287
Quek G. H. see Chooi S. Y. M. 529
Quintana D. see Juaristi E. 723

Rabiller C. Mesbahi M. Heisler A. and Levayer F. Fermentation of glucose in glycerol—stereochemistry of the proton transfer mediated by phosphoglucoisomerase: a deuterium NMR proof 685
Rabiller C. see Vialletelle V. 673
Racioppi R. see Bonini C. 29
Rafaiani G. see Bartoli G. 719
Rama Rao A. V. Gurjar M. K. and Kaiwar V. Enantioselective catalytic reductions of ketones with new four membered oxazaborolidines: application to (*S*)-tetramisole 859
Ramalingam K. see Nanjappan P. 1271
Ramesar N. see Drewes S. E. 255
Rao M. V. see Kamal A. 1361
Rassu G. Casiraghi G. Spanu P. Pinna L. Fava G. G. Ferrari M. B. and Pelosi G. Homochiral α,β-unsaturated γ-lactams: versatile templates 1035
Raza Z. see Kojic-Prodic B. 1
Rebolledo F. see García M. J. 1519
Reddy R. T. see Rossi C. 629
Redigolo B. see Carrea G. 1063
Reed A. see Bailey P. D. 161
Reetz M. T. and Kayser F. Stereoselective synthesis of α,γ-diamino acid esters 1377
Reeve C. D. Crout D. H. G. Cooper K. and Fray M. J. An optically pure 1,4-dihydropyridine from a resolution catalysed by rabbit liver esterase 785
Renner G. see Exl C. 1391
Reutel C. see Csöregh I. 1555
Richards C. J. and Thomas S. E. Nucleophilic addition to vinylketenimine complexes. The asymmetric synthesis of carbon quaternary centres 143
Rihs G. see Farooq S. 51
Riva S. see Carrea G. 775
Riva S. see Carrea G. 1063
Riva S. see Secundo F. 267
Roche D. see Rossi C. 629
Rodríguez S. see Carda M. 1511
Rogi-Kohlenprath R. see Exl C. 1391
Ronan B. and Kagan H. B. Highly enantioselective synthesis of a Corey prostaglandin intermediate 115
Roos G. H. P. see Drewes S. E. 515
Roos G. H. P. see Jensen K. N. 1553
Roques B. P. see Garbay-Jaureguiberry C. 637
Rose P. A. Abrams S. R. and Shaw A. C. Synthesis of chiral acetylenic analogs of the plant hormone abscisic acid 443
Rosell C. M. see Fuganti C. 383
Rossi C. Fauve A. Madesclaire M. Roche D. Davis F. A. and Reddy R. T. Microbiological and chemical methods in the asymmetric oxidation of sulfides: a comparative study for the preparation of (*S*)-vinyl sulfoxides 629
Rossiter B. E. Miao G. Swingle N. M. Eguchi M. Hernández A. E. and Patterson R. G. Enantioselective conjugate addition with chiral amidocuprates—III. Studies on the synthetic optimization of MAPP-cuprates 231
Rouessac F. see Girodier L. 857
Rubio A. see Bueno A. B. 251
Rubio J. see Corma A. 845
Rüffer L. see Höft E. 507
Rukavishnikov A. V. see Tkachev A. V. 1165
Runge T. see Pietruszka J. 661

Saba A. A simple stereoselective synthesis of C_2-branched 2-deoxypentitols 371
Saba A. Adovasio V. and Nardelli M. Synthesis of enantiomerically pure C_2-branched-2-deoxy-heptitols 1573
Sakai K. see Suemune H. 297
Sakai K. see Tanaka N. 1075
Sakai N. Nozaki K. Mashima K. and Takaya H. Asymmetric hydroformylation of vinyl acetate by use of chiral bis(triarylphosphite)–rhodium(I) complexes 583
Sakata S. see Soai K. 677
Salaün J. see Malézieux B. 375
Salem G. see Bader A. 1227
Salvadori P. see Pini D. 693
Sánchez B. see Marco-Contelles J. 689
Sánchez F. see Corma A. 845
Santagostino M. see Carrea G. 775
Sasaki K. see Kabuto K. 1357
Sasaki Y. see Kabuto K. 1357
Sato F. see Okamoto S. 1525
Sato F. see Urabe H. 5
Sato M. Ohuchi H. Abe Y. and Kaneko C. Regio-, stereo-, and enantioselective synthesis of cyclobutanols by means of the photoaddition of 1,3-dioxin-4-ones and lipase-catalyzed acetylation 313
Sato M. Sugita Y. Abiko Y. and Kaneko C. Aldol reaction of 4-trimethylsiloxy-6-methylene-1,3-dioxines with chiral aldehydes: enantioselective synthesis of 1,3-dioxin-4-ones having a 2,3-dihydroxylated alkyl group at the 6-position 1157
Sato M. see Iwaoka T. 1025
Sawada H. see Takabe K. 1399

Sawyers R. A. see Barton D. L. 1189
Schlichter W. H. and Frahm A. W. Novel, enantioselective synthesis of vicinal cyclohexane-diamines as key-intermediates for highly selective opioid kappa and sigma agonists 329
Schmid R. see Wirz B. 137
Schmitt M. see Solladié-Cavallo A. 1597
Schneider M. P. and Goergens U. An efficient route to enantiomerically pure antidepressants: Tomoxetine, Nisoxetine and Fluoxetine 525
Schneider M. P. see Ader U. 201
Schneider M. P. see Ader U. 205
Schneider M. P. see Ader U. 521
Schneider M. P. see Goergens U. 831
Schneider M. P. see Goergens U. 1149
Schneider M. P. see Seemayer R. 827
Schneider M. P. see Seemayer R. 1123
Schuster M. see Sewald N. 953
Secundo F. Riva S. and Carrea G. Effects of medium and of reaction conditions on the enantioselectivity of lipases in organic solvents and possible rationales 267
Seebauer V. see Exl C. 1391
Seemayer R. Bar N. and Schneider M. P. Enzymatic preparation of isomerically pure 1,4:3,6-dianhydro-D-glucitol monoacetates—precursors for isoglucitol 2- and 5-mononitrates 1123
Seemayer R. and Schneider M. P. Preparation of optically pure pyridyl-1-ethanols 827
Sello G. see Jommi G. 1131
Seo B.-I. Suh I.-H. Jensen W. P. Lewis D. E. Wall L. K. and Jacobson R. A. The conformation of 3-*endo*-arylmethylisobornyl esters 367
Servi S. see Fuganti C. 383
Setoh M. see Takano S. 533
Seufer-Wasserthal P. see Exl C. 1391
Sewald N. von Gleissenthall J. L. Schuster M. Müller G. and Aplin R. T. Structure elucidation of a plant metabolite of 4-desoxynivalenol 953
Shaw A. C. see Rose P. A. 443
ShengJian L. Yaozhong J. and Aiqiao M. Asymmetric synthesis—XVII. New chiral catalysts for the stereocontrolled addition of benzaldehyde by diethylzinc 1467
Shibuya S. see Yokomatsu T. 377
Shioiri T. see Matsuura F. 1069
Shiozaki M. and Kobayashi Y. Synthesis of (*S*)- and (*R*)-3-[(benzyloxycarbonyl)oxy]-2,2-difluorotetradecanoic acid 451
Sicsic S. see Mekrami M. 431
Siemion I. Z. see Wysłouch A. 1401
Sim H.-S. see Kang S.-K. 705
Sim K. Y. see Chooi S. Y. M. 529
Simova E. see Berova N. 651
Singh P. K. see Parmar V. S. 1395
Sisti M. see Jommi G. 1131
Skerlj R. T. see Burgess V. A. 871
Skrinjar M. Nilsson C. and Wistrand L.-G. An efficient synthesis of (+)-anatoxin-a 1263
Snatzke G. see Berova N. 651
Snatzke G. see Duddeck H. 613
Soai K. Hirose Y. and Sakata S. Highly enantioselective synthesis of β-hydroxy nitriles by the cyanomethylation of aldehydes using DPMPM as a chiral catalyst or ligand 677
Soai K. Oshio A. and Yoneyama H. Synthesis of (2*S*,5*S*)-2,5-bis(phenylmethyl)-1,4-diazabicyclo[2.2.2]octane 359
Soccolini F. see Cholucci G. 1235
Soler M. A. see Martín V. S. 573
Solladié G. and Ghiatou N. Synthesis of optically active β,γ-diketo-*p*-tolylsulfoxides 33
Solladié-Cavallo A. Adib A. Schmitt M. Fischer J. and DeCian A. Axial structure of oxathiane benzyl sulfonium perchlorate 1597
Solladié-Cavallo A. Quazzotti S. Colonna S. Manfredi A. Fischer J. and DeCian A. A three-step synthesis of an enantiomerically pure Halostachine analogue starting from η^6(*o*-tolualdehyde)-chromium-tricarbonyl 287
Solladié-Cavallo A. and Quazzotti S. An efficient synthesis of (+)-8-phenylmenthyl isocyanoacetate 39
Sonawane H. R. Bellur N. S. Ahuja J. R. and Kulkarni D. G. Recent developments in the synthesis of optically active α-arylpropanoic acids: an important class of non-steroidal anti-inflammatory agents 163
Spanu P. see Rassu G. 1035
Spogliarich R. Vidotto S. Farnetti E. Graziani M. and Gulati N. V. Highly selective catalytic hydrogenation of cyclic enones 1001
Spreitzer H. see Buchbauer G. 197
Stará I. G. Stary I. and Závada J. Optically pure (*S*)- and (*R*)-4,5-dihydro-3*H*-methyl dinaphth[2,1-*c*; 1',2'-*e*]-azepines. Application to the synthesis of new bidentate ligands with axial asymmetry 1365
Stary I. see Stará I. G. 1365
Steels I. De Clercq P. J. and Declercq J. P. Anchoring substitution in acyclic 1,3-amino alcohols. Asymmetric reductions with chiral modifications of lithium aluminum hydride and borane 599
Stingl K. Martens J. and Wallbaum S. Enantioselective catalytic borane reductions of aromatic ketones: syntheses and application of two chiral β-amino alcohols from (*S*)-porretine 223
Suemune H. Matsuno K. Uchida M. and Sakai K. Enantioselective synthesis of (1*S*,3*S*,5*R*)-1-acetoxy-5-benzyl-oxy cyclohexan-3-ol and its application to the synthesis of compactin lactone moiety and quinic acid 297
Suemune H. see Tanaka N. 1075
Sugihara T. see Takano S. 853
Sugimoto M. see Takabe K. 1385
Sugita Y. see Sato M. 1157
Suh I.-H. see Seo B.-I. 367
Sutton K. H. see Davies S. G. 1303
Swain, Jr W. E. see Farooq S. 51
Swatonek H. see Buchbauer G. 197
Swingle N. M. see Rossiter B. E. 231
Szczepek W. J. see Duddeck H. 613

Tae Cho B. and Chun Y. S. Asymmetric borane reduction of achiral ketones mediated by a chiral oxazaborolidine derived from (−)-ephedrine 1539
Taga T. see Fuji K. 609
Taga T. see Yanada R. 1387
Tagliani A. see Fuganti C. 383

Takabe K. Hiyoshi H. Sawada H. Tanaka M. Miyazaki A. Yamada T. Katagiri T. and Yoda H. Baker's yeast reduction of 3-phenylthiomethyl-2-butenolide and its derivatives: synthesis of versatile chiral C_5-building blocks for terpenoid synthesis 1399
Takabe K. Tanaka M. Sugimoto M. Yamada T. and Yoda H. Asymmetric reduction of 3-hydroxymethylbutenolide derivatives by baker's yeast: a new approach to the synthesis of factor-I 1385
Takahashi M. see Takano S. 837
Takahata H. Banba Y. and Momose T. An asymmetric synthesis of an acetonide form of (−)-*cis*-1,2-dihydroxyindolizidine 999
Takahata H. Bandoh H. Hanayama M. and Momose T. A chirospecific synthesis of (−)-pinidine 607
Takano S. Kamikubo T. Sugihara T. and Ogasawara K. Stereocontrolled route to the δ-benzylidenemethyl-β-hydroxy-δ-lactone system utilizing a new chiral epoxyacetylene building block 853
Takano S. Moriya M. and Ogasawara K. Chiral synthesis of both enantiomers of 1,4-dideoxy-1,4-iminolyxitol and 1,4-dideoxy-1,4-iminoribitol 681
Takano S. Setoh M. and Ogasawara K. An enantiospecific route to (6*R*)-(−)-massoialactone and (4*R*,6*R*)-(+)-4-hydroxy-6-pentylvalerolactone 533
Takano S. Yamane T. Takahashi M. and Ogasawara K. Enantiocomplementary synthesis of functionalized cycloalkenol building blocks using lipase 837
Takaya H. see Sakai N. 583
Takeshita M. Yaguchi R. and Akutsu N. Enzymatic preparation of chiral 1-phenylglycidols and 1-phenyl-1,2-propanediols 1369
Takeshita M. and Akutsu N. Synthesis of chiral epoxy alcohols by use of baker's yeast 1381
Tan M. K. see Chooi S. Y. M. 529
Tanaka K. Kakinoki O. and Toda F. Efficient optical resolution of some key compounds of prostaglandin synthesis 517
Tanaka K. Ootani M. and Toda F. Optically active *trans*-bis(hydroxydiphenylmethyl)-2,2-dimethyl-1,3-dioxacyclopentane and its derivatives as chiral shift reagents for the determination of enantiomeric purity and absolute configuration 709
Tanaka K. see Fuji K. 609
Tanaka M. see Takabe K. 1385
Tanaka M. see Takabe K. 1399
Tanaka N. Suemune H. and Sakai K. Distinction of diastereofaces at the α-position of chiral cyclic acetals 1075
Taqui Khan M. M. Khan N. H. and Kureshy R. I. Synthesis and characterization of Ru(III) chiral Schiff base complexes derived from substituted aldehydes and L-histidine 307
Taudien S. see Krause H.-W. 555
Terreni M. see Fuganti C. 383
Thomas S. E. see Richards C. J. 143
Tkachev A. V. Rukavishnikov A. V. Gatilov Y. V. and Bagrjanskaja I. Y. Baker's yeast-induced asymmetric reduction of the keto group activated by the cyclopropane unit 1165
Tlahuext H. and Contreras R. Diborane derivatives from *N*-alkyloxazaborolidines 1145
Tlahuext H. and Contreras R. *N*-Alkyloxazaborolidines derived from ephedrines 727
Toda F. see Tanaka K. 517
Toda F. see Tanaka K. 709
Top S. see Howell J. A. S. 1355
Touet J. Baudouin S. and Brown E. Asymmetric Michael additions of Grignard reagents to cinnamamides deriving from *N*-alkyl (*R*)-(−)-2-aminobutan-1-ol 587
Touet J. see Brown E. 841
Turner N. J. see Cohen M. A. 1543
Turner N. J. see Crosby J. A. 1547

Uang B.-J. see Yen K.-F. 697
Uchida M. see Suemune H. 297
Uemura M. Miyake R. Nishimura H. Matsumoto Y. and Hayashi T. New chiral phosphine ligands containing (η^6-arene)chromium and catalytic asymmetric cross-coupling reactions 213
Uemura M. Miyake R. Nakayama K. and Hayashi Y. Enantioselective conjugate addition of diethylzinc to chalcone catalyzed by chiral tricarbonyl(arene)chromium/nickel (II) 713
Urabe H. Yamakawa T. and Sato F. Synthesis and catalytic activity of new chiral ligands based on a 1,3-cyclopentanediamine 5
Urban F. J. and Moore B. S. An efficient preparation of tetrahydropyran-(3*R*)-carboxaldehyde, a key intermediate for the synthesis of a novel 5-lipoxygenase inhibitor 731

Valle G. see Maglioli P. 365
van der Gen A. see Zandbergen P. 769
van der Maten T. see Callant D. 401
Vänttinen E. and Kanerva L. T. Lipase-catalysed transesterification in the preparation of optically active monobutyrate of *cis*-2,3-epoxybutane-1,4-diol 1529
Vázquez J. T. see Padrón J. I. 415
Veschambre H. see Dauphin G. 595
Vialetelle V. Rabiller C. Heisler A. and Levayer F. Stereospecific chemoenzymatic synthesis of the deuterated analogues of 2-phosphoglycerate and structural analysis by means of NMR spectroscopy 673
Viani F. see Arnone A. 9
Vidotto S. see Spogliarich R. 1001
Viggiani L. see Bonini C. 29
Villiéras J. see Dembélé Y. A. 351
Villiéras J. see Dembélé Y. A. 511
von Gleissenthall J. L. see Sewald N. 953

Wada T. see Kollár L. 1011
Wada T. see Kollar L. 1087
Wagner P. see Duddeck H. 613
Walker A. J. Asymmetric carbon–carbon bond formation using sulfoxide-stabilised carbanions 961
Wall L. K. see Seo B.-I. 367
Wallbaum S. and Martens J. Asymmetric syntheses with chiral oxazaborolidines 1475
Wallbaum S. see Martens J. 347
Wallbaum S. see Stingl K. 223
Walther W. see Wirz B. 1049
Ward J. Börner A. and Kagan H. B. Synthesis of 6-*endo*-hydroxy norphos, a potential ligand for construction of chiral bimetallic catalysts 849
Ward R. S. see Pelter A. 239

Watanabe H. see Naruse Y. 603
Waters S. L. see Aigbirhio F. 539
Watkin D. see Harwood L. M. 1127
Weber E. see Csöregh I. 1555
Weissmahr W. K. see Dobler M. 1411
Werner S. see Duddeck H. 613
Whittaker M. see Burgess V. A. 871
Wild S. B. see Bader A. 1227
Williams C. E. see Harwood L. M. 1127
Williams J. M. J. see Frost C. G. 1089
Willis A. C. see Bader A. 1227
Wilson R. D. see Bailey P. D. 161
Wirz B. Schmid R. and Foricher J. Asymmetric enzymatic hydrolysis of prochiral 2-O-allylglycerol ester derivatives 137
Wirz B. and Walther W. Enzymatic preparation of chiral 3-(hydroxymethyl)piperidine derivatives 1049
Wirz-Habersack Y. see Naegeli P. 221
Wistrand L.-G. see Skrinjar M. 1263
Wolschann P. see Buchbauer G. 197
Wong L. F. see Harwood L. M. 1127
Woodward S. see Alcock N. W. 17
Wu S. see O'Donnell M. J. 591
Wysłouch A. Lisowski M. Pedyczak A. and Siemion I. Z. Stereochemistry of thiazolidine ring formation from aminals and cysteine 1401

Yaguchi R. see Takeshita M. 1369
Yamada T. see Takabe K. 1385
Yamada T. see Takabe K. 1399
Yamakawa T. see Urabe H. 5
Yamamoto N. see Yoshikawa K. 13
Yamamura H. see Kawai M. 1019
Yamane T. see Takano S. 837
Yanada R. Higashikawa M. Miwa Y. Taga T. and Yoneda F. 5-Deazaflavinocyclophane as a novel flavoenzyme model. Synthesis and diastereoface-differentiating reactions 1387
Yaozhong J. see ShengJian L. 1467
Yen K.-F. and Uang B.-J. Asymmetric synthesis of 2-alkyl-2,3-dihydroxypropionates from glycerol 697
Yoda H. see Takabe K. 1385
Yoda H. see Takabe K. 1399
Yokomatsu T. and Shibuya S. Enantioselective synthesis of α-amino phosphonic acids by an application of stereoselective opening of homochiral dioxane acetals with triethyl phosphite 377
Yoneda F. see Yanada R. 1387
Yoneyama H. see Soai K. 359
Yoshikawa K. Yamamoto N. Murata M. Awano K. Morimoto T. and Achiwa K. A new type of atropisomeric biphenylbisphosphine ligand, (*R*)-MOC-BIMOP and its use in efficient asymmetric hydrogenation of α-aminoketone and itaconic acid 13
Yus M. see Mazón A. 1455

Zandbergen P. Brussee J. van der Gen A. and Kruse C. G. Stereoselective synthesis of β-hydroxy-α-amino acids from chiral cyanohydrins 769
Zárraga M. see Padrón J. I. 415
Závada J. see Stará I. G. 1365
Zhang X.-M. Archelas A. and Furstoss R. Microbiological transformations—XXIV. Synthesis of chiral building blocks via stereoselective dihydroxylation of citronellol enantiomers 1373

Tetrahedron: *Asymmetry*

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

AIMS AND SCOPE

Tetrahedron: Asymmetry presents experimental or theoretical research results of outstanding significance and timeliness on asymmetry in organic, inorganic, organometallic and physical chemistry, as well as its application to related disciplines, especially bio-organic chemistry.

The journal will publish critical reviews, original research articles and preliminary communications dealing with all aspects of the chemical, physical and theoretical properties of non-racemic organic and inorganic materials and processes.

Topics relevant to the journal include:

- the physico-chemical and biological properties of enantiomers
- strategies and methodologies of asymmetric synthesis
- resolution
- chirality recognition and enhancement
- analytical techniques for assessing enantiomeric purity and the unambiguous determination of absolute configuration
- molecular graphics and modelling methods for interpreting and predicting asymmetric phenomena

Papers describing the synthesis or properties of non-racemic molecules will be required to include a separate statement, in the form of a Stereochemistry Abstract, for publication in the same issue, of the criteria used for the assignment of configuration and enantiomeric purity.

Printed in Great Britain at BPCC-AUP Aberdeen Ltd.


1.0
1.1
1.25
1.4
1.6
2.8
3.2
3.6
4.0
2.5
2.2
2.0
1.8